

ENERGY DIRECTORATE

TYPE TESTED INVERTERS/EQUIPMENT IN TERMS OF NRS 097-2-1

27 January 2023

Make	Model	Inverter / Equipment type	Test House	Certificate date	Valid until	Report number	Certificate Compliance number	NRS 097-2-1: 2017 Ed2 Certification	NRS 097-2-1: 2017 Ed 2.1 Certification	Comments
ABB	TRIO-TM-50-0-400	Grid-tied PV inverter	TUV Rheinland	2019/07/15		28110633 031	AK 60141064 0001	Yes		Inverter may only be used in plants according to Category A3: 100 kVA - 1MVA and connection to the grid via an external customer MV/LV AC transformer
ABB	PVS - 50 - TL	Grid-tied PV inverter	TUV Rheinland	2020/01/22		28111830 029	AK 60146346 0001	Yes		Inverter may only be used in plants according to Category A3: 100 kVA - 1MVA and connection to the grid via an external customer MV/LV AC transformer
ABB	PVS - 50 - TL - S	Grid-tied PV inverter	TUV Rheinland	2020/01/22		28111830 029	AK 60146346 0001	Yes		
ABB	PVS - 50 - TL - SX	Grid-tied PV inverter	TUV Rheinland	2020/01/22		28111830 029	AK 60146346 0001	Yes		
ABB	PVS - 50 - TL - SX2	Grid-tied PV inverter	TUV Rheinland	2020/01/22		28111830 029	AK 60146346 0001	Yes		
ABB	PVS-100-TL	Grid-tied PV inverter	TUV Rheinland	2019/11/29		28110923 035	AK 60144898 0001	Yes		Inverter may only be used in plants according to Category A3: 100 kVA - 1MVA and connection to the grid via an external customer MV/LV AC transformer
ABB	REACT2-UNO-3.6-TL	Grid-tied PV inverter	TUV Rheinland	2018/11/07		28111587 003	AK 60134062 0001	Yes		A maximum of three REACT2-BATT may be used in combination with this inverter unit
ABB	REACT2-UNO-5.0-TL	Grid-tied PV inverter	TUV Rheinland	2018/11/07		28111587 003	AK 60134062 0001	Yes		
ABB	CM-UF0.M31M and CM-UF0.M31	Network & system relay	TUV SUD	2022/10/28		713200958-000	ESY 0442540043 Rev.00	No	No	Network and system grid protection voltage and frequency relay only in accordance with VDE-AR-N 4105:2018. Must be programmed to NRS 097-2-1 or the applicable South African Grid Codes and may only be used in conjunction with approved NRS 097-2-1 type tested inverters on this list
Afore	HNS3000HS	Hybrid PV inverter grid-tied	Dakra	2020/09/17		6076139.50	6076139.01AOC	Yes		
Afore	HNS3600HS	Hybrid PV inverter grid-tied	Dakra	2020/09/17		6076139.50	6076139.01AOC	Yes		
Afore	HNS4000HS	Hybrid PV inverter grid-tied	Dakra	2020/09/17		6076139.50	6076139.01AOC	Yes		
Afore	HNS4600HS	Hybrid PV inverter grid-tied	Dakra	2020/09/17		6076139.50	6076139.01AOC	Yes		
Afore	HNS5000HS	Hybrid PV inverter grid-tied	Dakra	2020/09/17		6076139.50	6076139.01AOC	Yes		
Afore	HNS5500HS	Hybrid PV inverter grid-tied	Dakra	2020/09/17		6076139.50	6076139.01AOC	Yes		
Afore	HNS6000HS	Hybrid PV inverter grid-tied	Dakra	2020/09/17		6076139.50	6076139.01AOC	Yes		
Afore	HNS3000HS-HV	Hybrid PV inverter grid-tied	Dakra	2020/09/18		6076141.50	6076141.01AOC V1.1	Yes		
Afore	HNS3600HS-HV	Hybrid PV inverter grid-tied	Dakra	2020/09/18		6076141.50	6076141.01AOC V1.1	Yes		
Afore	HNS4000HS-HV	Hybrid PV inverter grid-tied	Dakra	2020/09/18		6076141.50	6076141.01AOC V1.1	Yes		
Afore	HNS4600HS-HV	Hybrid PV inverter grid-tied	Dakra	2020/09/18		6076141.50	6076141.01AOC V1.1	Yes		
Afore	HNS5000HS-HV	Hybrid PV inverter grid-tied	Dakra	2020/09/18		6076141.50	6076141.01AOC V1.1	Yes		
Afore	HNS5500HS-HV	Hybrid PV inverter grid-tied	Dakra	2020/09/18		6076141.50	6076141.01AOC V1.1	Yes		
Afore	HNS6000HS-HV	Hybrid PV inverter grid-tied	Dakra	2020/09/18		6076141.50	6076141.01AOC V1.1	Yes		
Atless	HPS 30	Hybrid PV inverter grid-tied	Shenzhen Balun	2020/10/09		BL-DG2080269-B01	BL-DG2080269D01	Yes		The maximum DC voltage is dependent on PV array and may not exceed 820 V as declared by the inverter manufacturer
Atless	HPS 50	Hybrid PV inverter grid-tied	Shenzhen Balun	2020/10/09		BL-DG2080269-B01	BL-DG2080269D01	Yes		The maximum DC voltage is dependent on PV array and may not exceed 820 V as declared by the inverter manufacturer
Atless	HPS100	Hybrid PV inverter grid-tied	Shenzhen Balun	2020/10/09		BL-DG2080269-B02	BL-DG2080269D02	Yes		The maximum DC voltage is dependent on PV array and may not exceed 820 V as declared by the inverter manufacturer
Atless	HPS120	Hybrid PV inverter grid-tied	Shenzhen Balun	2020/10/09		BL-DG2080269-B02	BL-DG2080269D02	Yes		The maximum DC voltage is dependent on PV array and may not exceed 820 V as declared by the inverter manufacturer
Atless	HPS150	Hybrid PV inverter grid-tied	Shenzhen Balun	2020/10/09		BL-DG2080269-B02	BL-DG2080269D02	Yes		The maximum DC voltage is dependent on PV array and may not exceed 820 V as declared by the inverter manufacturer
Alpha	SMILES-INV	Hybrid PV inverter grid-tied	Bureau Veritas	2019/03/22		ABYD-19JA1440FCSPH	U19-0178	Yes		
Alpha	Stonon-SMILE-B3	Battery based inverter grid-tied	Bureau Veritas	2020/08/19		ABYD-ESH-P20071636	U20-0680	Yes		
Canadian Solar	CSI-20, 25 and 30KTL-GH-FL	Grid-tied PV inverter	TUV Rheinland	2018/05/07		50128276 002	AK 50406933 0001	Yes		
Canadian Solar	CSI-40KTL-GH-FL	Grid-tied PV inverter	TUV Rheinland	2018/05/03		50131287 002	AK 50406675 0001	Yes		The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used
Canadian Solar	CSI-50KTL-GI	Grid-tied PV inverter	TUV Rheinland	2018/05/03		50131287 002	AK 50406675 0001	Yes		The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used
Canadian Solar	CSI-25K-T400GL02-E	Grid-tied PV inverter	TUV Rheinland	2020/04/13		50344275 002	AK 50464349 0001	Yes		The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used
Canadian Solar	CSI-30K-T400GL02-E	Grid-tied PV inverter	TUV Rheinland	2020/04/13		50344275 002	AK 50464349 0001	Yes		The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used
Canadian Solar	CSI-33K-T400GL02-E	Grid-tied PV inverter	TUV Rheinland	2020/04/13		50344275 002	AK 50464349 0001	Yes		The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used
Canadian Solar	CSI-36K-T400GL02-E	Grid-tied PV inverter	TUV Rheinland	2020/04/13		50344275 002	AK 50464349 0001	Yes		The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used
Canadian Solar	CSI-40K-T400GL02-E	Grid-tied PV inverter	TUV Rheinland	2020/04/13		50344275 002	AK 50464349 0001	Yes		The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used
Canadian Solar	CSI 75 K-T400GL02-E	Grid-tied PV inverter	TUV Rheinland	2020/10/21		50376758 002	AK 50483986 0001	Yes		The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used
Canadian Solar	CSI 100 K-T400GL02-E	Grid-tied PV inverter	TUV Rheinland	2020/10/21		50376758 002	AK 50483986 0001	Yes		The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used
Canadian Solar	CSI 110 K-T400GL02-E	Grid-tied PV inverter	TUV Rheinland	2020/10/21		50376758 002	AK 50483986 0001	Yes		The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used
Canadian Solar	CSI-50K-T400GL03-E	Grid-tied PV inverter	TUV Rheinland	2021/08/27		CN21F7XT 0002	AK 50516584 0001	Yes	Yes	The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used
Canadian Solar	CSI-60K-T400GL03-E	Grid-tied PV inverter	TUV Rheinland	2021/08/27		CN21F7XT 0002	AK 50516584 0001	Yes	Yes	The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used
Canadian Solar	CSI-60K-T500GL03-E	Grid-tied PV inverter	TUV Rheinland	2021/08/27		CN21F7XT 0002	AK 50516584 0001	Yes	Yes	The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used
Canadian Solar	CSI-70K-T500GL03-E	Grid-tied PV inverter	TUV Rheinland	2021/08/27		CN21F7XT 0002	AK 50516584 0001	Yes	Yes	The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used
Canadian Solar	CSI-xxK-T400GL02-E	Grid-tied PV inverter	TUV Rheinland	2021/10/29		50 376 758 007	AK 50522798 0001	Yes	Yes	(xx=80, 100, 110). The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used
Canadian Solar	CSI-xxK-T400GL03-E	Grid-tied PV inverter	TUV Rheinland	2021/10/29		50 376 758 007	AK 50522798 0001	Yes	Yes	(xx=80, 100, 110). The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used
Canadian Solar	CSI-xxK-T400GL02-ZA	Grid-tied PV inverter	TUV Rheinland	2021/10/29		50 376 758 007	AK 50522798 0001	Yes	Yes	(xx=80, 100, 110). The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used
Canadian Solar	CSI-xxK-T400GL03-ZA	Grid-tied PV inverter	TUV Rheinland	2021/10/29		50 376 758 007	AK 50522798 0001	Yes	Yes	(xx=80, 100, 110). The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used
Deye	SUN-8K-SG01LP1-EU	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/16		BL-DG21C0114-B01 (G1)	BL-DG21C0114D02	Yes		
Deye	SUN-7.6K-SG01LP1-EU	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/16		BL-DG21C0114-B01 (G1)	BL-DG21C0114D02	Yes		
Deye	SUN-6K-SG01LP1-EU	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/16		BL-DG21C0114-B01 (G1)	BL-DG21C0114D02	Yes		
Deye	SUN-5K-SG01LP1-EU	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/16		BL-DG21C0114-B01 (G1)	BL-DG21C0114D02	Yes		
Deye	SUN-3.8K-SG01LP1-EU	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/16		BL-DG21C0114-B01 (G1)	BL-DG21C0114D02	Yes		
Deye	SUN-8K-SG01LP1-EU-B	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/16		BL-DG21C0114-B01 (G1)	BL-DG21C0114D02	Yes		
Deye	SUN-7.6K-SG01LP1-EU-B	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/16		BL-DG21C0114-B01 (G1)	BL-DG21C0114D02	Yes		
Deye	SUN-6K-SG01LP1-EU-B	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/16		BL-DG21C0114-B01 (G1)	BL-DG21C0114D02	Yes		
Deye	SUN-5K-SG01LP1-EU-B	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/16		BL-DG21C0114-B01 (G1)	BL-DG21C0114D02	Yes		

Deys	SUN-3.6K-SG01LP1-EU-B	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/16	BL-DG21C0114-B01 (G1)	BL-DG21C0114D02	Yes	
Deys	SUN-8K-SG02LP1-EU	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/16	BL-DG21C0114-B01 (G1)	BL-DG21C0114D02	Yes	
Deys	SUN-7.8K-SG02LP1-EU	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/16	BL-DG21C0114-B01 (G1)	BL-DG21C0114D02	Yes	
Deys	SUN-8K-SG02LP1-EU	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/16	BL-DG21C0114-B01 (G1)	BL-DG21C0114D02	Yes	
Deys	SUN-5K-SG02LP1-EU	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/16	BL-DG21C0114-B01 (G1)	BL-DG21C0114D02	Yes	
Deys	SUN-3.6K-SG02LP1-EU	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/16	BL-DG21C0114-B01 (G1)	BL-DG21C0114D02	Yes	
Deys	SUN-8K-SG02LP1-EU-B	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/16	BL-DG21C0114-B01 (G1)	BL-DG21C0114D02	Yes	
Deys	SUN-7.6K-SG02LP1-EU-B	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/16	BL-DG21C0114-B01 (G1)	BL-DG21C0114D02	Yes	
Deys	SUN-6K-SG02LP1-EU-B	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/16	BL-DG21C0114-B01 (G1)	BL-DG21C0114D02	Yes	
Deys	SUN-5K-SG02LP1-EU-B	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/16	BL-DG21C0114-B01 (G1)	BL-DG21C0114D02	Yes	
Deys	SUN-3.6K-SG02LP1-EU-B	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/16	BL-DG21C0114-B01 (G1)	BL-DG21C0114D02	Yes	
Deys	SUN-6K-SG04LP3-EU	Hybrid PV inverter grid-tied	Dongguan Balun	2021/06/09	BL-DG2141024-B01	BL-DG2141024D01	Yes	
Deys	SUN-8K-SG04LP3-EU	Hybrid PV inverter grid-tied	Dongguan Balun	2021/06/09	BL-DG2141024-B01	BL-DG2141024D01	Yes	
Deys	SUN-10K-SG04LP3-EU	Hybrid PV inverter grid-tied	Dongguan Balun	2021/06/09	BL-DG2141024-B01	BL-DG2141024D01	Yes	
Deys	SUN-12K-SG04LP3-EU	Hybrid PV inverter grid-tied	Dongguan Balun	2021/06/09	BL-DG2141024-B01	BL-DG2141024D01	Yes	
Deys	SUN-12K-SG01LP1-EU	Hybrid PV inverter grid-tied	TUV Rheinland	2022/05/24	CN222MSO 001	AK 50544599 0001	Yes	
Deys	SUN-14K-SG01LP1-EU	Hybrid PV inverter grid-tied	TUV Rheinland	2022/05/24	CN222MSO 001	AK 50544599 0001	Yes	
Deys	SUN-16K-SG01LP1-EU	Hybrid PV inverter grid-tied	TUV Rheinland	2022/05/24	CN222MSO 001	AK 50544599 0001	Yes	
Deys	SUN-3K-SG04LP1-EU	Hybrid PV inverter grid-tied	TUV Rheinland	2022/12/13	CN22MT63 001	AK 50567952 0001	Yes	
Deys	SUN-3K-SG04LP1-24-EU	Hybrid PV inverter grid-tied	TUV Rheinland	2022/12/13	CN22MT63 001	AK 50567952 0001	Yes	
Deys	SUN-3.6K-SG04LP1-EU	Hybrid PV inverter grid-tied	TUV Rheinland	2022/12/13	CN22MT63 001	AK 50567952 0001	Yes	
Deys	SUN-5K-SG04LP1-EU	Hybrid PV inverter grid-tied	TUV Rheinland	2022/12/13	CN22MT63 001	AK 50567952 0001	Yes	
Deys	SUN-6K-SG04LP1-EU	Hybrid PV inverter grid-tied	TUV Rheinland	2022/12/13	CN22MT63 001	AK 50567952 0001	Yes	
Eaton	XSTH1P036P048V01	Hybrid PV inverter grid-tied	Bureau Veritas	2019/12/10	PVZA190716C26 163818-743394	U19-0642	Yes	
Eaton	XSTH1P046P048V01	Hybrid PV inverter grid-tied	Bureau Veritas	2019/12/10	PVZA190716C26 163818-743394	U19-0642	Yes	
Enphase Energy	IQ7A-72-V-W-Y-Z	Grid-tied PV inverter	EnTest	2020/11/06	P2020082402	COC2020082402	Yes	
Enphase Energy	IQ7X-96-V-W-Y-Z	Grid-tied PV inverter	EnTest	2020/11/06	P2020082402	COC2020082402	Yes	
Enphase Energy	IQ7PLUS-72-V-W-Y-Z	Grid-tied PV inverter	EnTest	2020/11/06	P2020082402	COC2020082402	Yes	
Enphase Energy	IQ7-60-V-W-Y-Z	Grid-tied PV inverter	EnTest	2020/11/06	P2020082402	COC2020082402	Yes	
Enphase Energy	Q-RELAY-1P-INT	Disconnect device	EnTest	2020/11/06	P2020082402	COC2020082402	Yes	
Enphase Energy	Q-RELAY-3P-INT	Disconnect device	EnTest	2020/11/06	P2020082402	COC2020082402	Yes	
FOXESS	H1-6.0-E	Hybrid PV inverter grid-tied	TUV NORD & Donguan Balun	2021/05/17	TRPVP03014/21E/02	COC2020082402	Yes	
FOXESS	H1-5.0-E	Hybrid PV inverter grid-tied	TUV NORD & Donguan Balun	2021/05/17	TRPVP03014/21E/02	COC2020082402	Yes	
FOXESS	H1-4.6-E	Hybrid PV inverter grid-tied	TUV NORD & Donguan Balun	2021/05/17	TRPVP03014/21E/02	COC2020082402	Yes	
FOXESS	H1-3.7-E	Hybrid PV inverter grid-tied	TUV NORD & Donguan Balun	2021/05/17	TRPVP03014/21E/02	COC2020082402	Yes	
FOXESS	H1-3.0-E	Hybrid PV inverter grid-tied	TUV NORD & Donguan Balun	2021/05/17	TRPVP03014/21E/02	COC2020082402	Yes	
FOXESS	AIO-H1-6.0	Hybrid PV inverter grid-tied	TUV NORD & Donguan Balun	2021/05/17	TRPVP03014/21E/02	COC2020082402	Yes	
FOXESS	AIO-H1-5.0	Hybrid PV inverter grid-tied	TUV NORD & Donguan Balun	2021/05/17	TRPVP03014/21E/02	COC2020082402	Yes	
FOXESS	AIO-H1-4.6	Hybrid PV inverter grid-tied	TUV NORD & Donguan Balun	2021/05/17	TRPVP03014/21E/02	COC2020082402	Yes	
FOXESS	AIO-H1-3.7	Hybrid PV inverter grid-tied	TUV NORD & Donguan Balun	2021/05/17	TRPVP03014/21E/02	COC2020082402	Yes	
FOXESS	AIO-H1-3.0	Hybrid PV inverter grid-tied	TUV NORD & Donguan Balun	2021/05/17	TRPVP03014/21E/02	COC2020082402	Yes	
FOXESS	AC1-6.0-E	Hybrid PV inverter grid-tied	TUV NORD & Donguan Balun	2021/05/17	TRPVP03014/21E/02	COC2020082402	Yes	
FOXESS	AC1-5.0-E	Hybrid PV inverter grid-tied	TUV NORD & Donguan Balun	2021/05/17	TRPVP03014/21E/02	COC2020082402	Yes	
FOXESS	AC1-4.6-E	Hybrid PV inverter grid-tied	TUV NORD & Donguan Balun	2021/05/17	TRPVP03014/21E/02	COC2020082402	Yes	
FOXESS	AC1-3.7-E	Hybrid PV inverter grid-tied	TUV NORD & Donguan Balun	2021/05/17	TRPVP03014/21E/02	COC2020082402	Yes	
FOXESS	AC1-3.0-E	Hybrid PV inverter grid-tied	TUV NORD & Donguan Balun	2021/05/17	TRPVP03014/21E/02	COC2020082402	Yes	
FOXESS	AIO-AC1-6.0	Hybrid PV inverter grid-tied	TUV NORD & Donguan Balun	2021/05/17	TRPVP03014/21E/02	COC2020082402	Yes	
FOXESS	AIO-AC1-5.0	Hybrid PV inverter grid-tied	TUV NORD & Donguan Balun	2021/05/17	TRPVP03014/21E/02	COC2020082402	Yes	
FOXESS	AIO-AC1-4.6	Hybrid PV inverter grid-tied	TUV NORD & Donguan Balun	2021/05/17	TRPVP03014/21E/02	COC2020082402	Yes	
FOXESS	AIO-AC1-3.7	Hybrid PV inverter grid-tied	TUV NORD & Donguan Balun	2021/05/17	TRPVP03014/21E/02	COC2020082402	Yes	
FOXESS	AIO-AC1-3.0	Hybrid PV inverter grid-tied	TUV NORD & Donguan Balun	2021/05/17	TRPVP03014/21E/02	COC2020082402	Yes	
FOXESS	KH7	Hybrid PV inverter grid-tied	TUV Rheinland	2022/05/05	CN22E TYS 001	AK 50542790 0001	Yes	
FOXESS	KH8	Hybrid PV inverter grid-tied	TUV Rheinland	2022/05/05	CN22E TYS 001	AK 50542790 0001	Yes	
FOXESS	KH9	Hybrid PV inverter grid-tied	TUV Rheinland	2022/05/05	CN22E TYS 001	AK 50542790 0001	Yes	
FOXESS	KH10	Hybrid PV inverter grid-tied	TUV Rheinland	2022/05/05	CN22E TYS 001	AK 50542790 0001	Yes	
FOXESS	KH10.5	Hybrid PV inverter grid-tied	TUV Rheinland	2022/05/05	CN22E TYS 001	AK 50542790 0001	Yes	
FOXESS	KA7	Battery based inverter grid-tied	TUV Rheinland	2022/05/05	CN22E TYS 001	AK 50542790 0001	Yes	
FOXESS	KA8	Battery based inverter grid-tied	TUV Rheinland	2022/05/05	CN22E TYS 001	AK 50542790 0001	Yes	
FOXESS	KA9	Battery based inverter grid-tied	TUV Rheinland	2022/05/05	CN22E TYS 001	AK 50542790 0001	Yes	
FOXESS	KA10	Battery based inverter grid-tied	TUV Rheinland	2022/05/05	CN22E TYS 001	AK 50542790 0001	Yes	
FOXESS	KA10.5	Battery based inverter grid-tied	TUV Rheinland	2022/05/05	CN22E TYS 001	AK 50542790 0001	Yes	
Fronius	Primo 3.0-1	Grid-tied PV inverter	TUV Rheinland	2020/09/22	28119635 003	AK 60152048 0001	Yes	
Fronius	Primo 3.5-1	Grid-tied PV inverter	TUV Rheinland	2020/09/22	28119635 003	AK 60152048 0001	Yes	
Fronius	Primo 3.5-1	Grid-tied PV inverter	TUV Rheinland	2020/09/22	28119635 003	AK 60152048 0001	Yes	
Fronius	Primo 4.0-1	Grid-tied PV inverter	TUV Rheinland	2020/09/22	28119635 003	AK 60152048 0001	Yes	
Fronius	Primo 4.5-1	Grid-tied PV inverter	TUV Rheinland	2020/09/22	28119635 003	AK 60152048 0001	Yes	
Fronius	Primo 5.0-1	Grid-tied PV inverter	TUV Rheinland	2020/09/22	28119635 003	AK 60152048 0001	Yes	
Fronius	Primo 6.0-1	Grid-tied PV inverter	TUV Rheinland	2020/09/22	28119635 003	AK 60152048 0001	Yes	
Fronius	Primo 8.2-1	Grid-tied PV inverter	TUV Rheinland	2020/09/22	28119635 003	AK 60152048 0001	Yes	
Fronius	Symo 10.0-3-M	Grid-tied PV inverter	TUV Rheinland	2020/09/22	28119635 005	AK 60152049 0001	Yes	
Fronius	Symo 12.5-3-M	Grid-tied PV inverter	TUV Rheinland	2020/09/22	28119635 005	AK 60152049 0001	Yes	

1. Legend: Where V=2, 5, E or blank, W = blank or ACM, Y = INT, Z = blank, RMA or NM.
2. The inverter installation must be provided with an external RCD type II.
3. Q-RELAY may only be used with these Enphase Energy inverters.

Fronius	Symo 15.0-3-M	Grid-tied PV inverter	TUV Rheinland	2020/09/22	28119635 005	AK 60152049 0001	Yes		
Fronius	Symo 17.5-3-M	Grid-tied PV inverter	TUV Rheinland	2020/09/22	28119635 005	AK 60152049 0001	Yes		
Fronius	Symo 20.0-3-M	Grid-tied PV inverter	TUV Rheinland	2020/09/22	28119635 005	AK 60152049 0001	Yes		
Fronius	Symo GEN24 X.X Plus	Grid-tied PV inverter	TUV Rheinland	2021/05/19	IT2157N9 001	AK 60156753 0001		Yes	X.X can be 10.0; 9.0; 8.0; 7.0 and 6.0
Fronius	Symo GEN24 X.X	Grid-tied PV inverter	TUV Rheinland	2021/05/19	IT2157N9 001	AK 60156753 0001		Yes	X.X can be 10.0; 9.0; 8.0; 7.0 and 6.0
Fronius	Symo GEN24 X.X Lite	Grid-tied PV inverter	TUV Rheinland	2021/05/19	IT2157N9 001	AK 60156753 0001		Yes	X.X can be 10.0; 9.0; 8.0; 7.0 and 6.0
Fronius	Primo GEN24 X.X Plus	Grid-tied PV inverter	TUV Rheinland	2021/05/19	IT21WUZG 001	AK 60156751 0001		Yes	X.X can be 3.0; 3.6; 4.0; 4.6; 5.0 and 6.0
Fronius	Primo GEN24 X.X	Grid-tied PV inverter	TUV Rheinland	2021/05/19	IT21WUZG 001	AK 60156751 0001		Yes	X.X can be 3.0; 3.6; 4.0; 4.6; 5.0 and 6.0
Fronius	Primo GEN24 X.X Lite	Grid-tied PV inverter	TUV Rheinland	2021/05/19	IT21WUZG 001	AK 60156751 0001		Yes	X.X can be 3.0; 3.6; 4.0; 4.6; 5.0 and 6.0
Fronius	ECO 25.0-3-S	Grid-tied PV inverter	TUV Rheinland	2021/05/05	IT210G4J 003	AK 60156511 0001		Yes	Inverter may only be used in plants according to Category A, 100 kVA - 1MVA and connection to the grid via an external customer MV/LV AC transformer.
Fronius	ECO 27.0-3-S	Grid-tied PV inverter	TUV Rheinland	2021/05/05	IT210G4J 003	AK 60156511 0001		Yes	Inverter may only be used in plants according to Category A, 100 kVA - 1MVA and connection to the grid via an external customer MV/LV AC transformer.
Fronius	TAURO ECO 50-3-P	Grid-tied PV inverter	TUV Rheinland	2022/01/25	IT22ZTD0 001	AK 60161549 0001		Yes	Inverter may only be used in plants according to Category A, 100 kVA - 1MVA and connection to the grid via an external customer MV/LV AC transformer.
Fronius	TAURO ECO 50-3-D	Grid-tied PV inverter	TUV Rheinland	2022/01/25	IT22ZTD0 001	AK 60161549 0001		Yes	Inverter may only be used in plants according to Category A, 100 kVA - 1MVA and connection to the grid via an external customer MV/LV AC transformer.
Fronius	TAURO ECO 99-3-P	Grid-tied PV inverter	TUV Rheinland	2022/01/25	IT22ZTD0 001	AK 60161549 0001		Yes	Inverter may only be used in plants according to Category A, 100 kVA - 1MVA and connection to the grid via an external customer MV/LV AC transformer.
Fronius	TAURO ECO 99-3-D	Grid-tied PV inverter	TUV Rheinland	2022/01/25	IT22ZTD0 001	AK 60161549 0001		Yes	Inverter may only be used in plants according to Category A, 100 kVA - 1MVA and connection to the grid via an external customer MV/LV AC transformer.
Fronius	TAURO ECO 100-3-P	Grid-tied PV inverter	TUV Rheinland	2022/01/25	IT22ZTD0 001	AK 60161549 0001		Yes	Inverter may only be used in plants according to Category A, 100 kVA - 1MVA and connection to the grid via an external customer MV/LV AC transformer.
Fronius	TAURO ECO 100-3-D	Grid-tied PV inverter	TUV Rheinland	2022/01/25	IT22ZTD0 001	AK 60161549 0001		Yes	Inverter may only be used in plants according to Category A, 100 kVA - 1MVA and connection to the grid via an external customer MV/LV AC transformer.
Fronius	TAURO 50-3-P	Grid-tied PV inverter	TUV Rheinland	2022/01/27	IT221Y5H 001	AK 60161577 0001		Yes	Inverter may only be used in plants according to Category A, 100 kVA - 1MVA and connection to the grid via an external customer MV/LV AC transformer.
Fronius	TAURO 50-3-D	Grid-tied PV inverter	TUV Rheinland	2022/01/27	IT221Y5H 001	AK 60161577 0001		Yes	Inverter may only be used in plants according to Category A, 100 kVA - 1MVA and connection to the grid via an external customer MV/LV AC transformer.
Goodwe	GW3648D-ES	Hybrid PV inverter grid-tied	TUV SUD	2018/11/12	704091815302-00	0 083373 0039 Rev.00	Yes		
Goodwe	GW5048D-ES	Hybrid PV inverter grid-tied	TUV SUD	2018/11/12	704091815302-00	0 083373 0039 Rev.00	Yes		
Goodwe	GW3048-EM	Hybrid PV inverter grid-tied	TUV Rheinland	2017/07/14	50085060 001	AK 50383738 0001	Yes		
Goodwe	GW3648-EM	Hybrid PV inverter grid-tied	TUV Rheinland	2017/07/14	50085060 001	AK 50383738 0001	Yes		
Goodwe	GW5048-EM	Hybrid PV inverter grid-tied	TUV Rheinland	2017/07/14	50085060 001	AK 50383738 0001	Yes		
Goodwe	GW4K-DT	Grid-tied PV inverter	Bureau Veritas	2019/11/20	ZEM-190C0893FTSHIP	U19-0609	Yes		
Goodwe	GW5K-DT	Grid-tied PV inverter	Bureau Veritas	2019/11/20	ZEM-190C0893FTSHIP	U19-0609	Yes		
Goodwe	GW6K-DT	Grid-tied PV inverter	Bureau Veritas	2019/11/20	ZEM-190C0893FTSHIP	U19-0609	Yes		
Goodwe	GW8K-DT	Grid-tied PV inverter	Bureau Veritas	2019/11/20	ZEM-190C0893FTSHIP	U19-0609	Yes		
Goodwe	GW10K-DT	Grid-tied PV inverter	Bureau Veritas	2019/11/20	ZEM-190C0893FTSHIP	U19-0609	Yes		
Goodwe	GW12K-DT	Grid-tied PV inverter	Bureau Veritas	2019/11/20	ZEM-190C0893FTSHIP	U19-0609	Yes		
Goodwe	GW15K-DT	Grid-tied PV inverter	Bureau Veritas	2019/11/20	ZEM-190C0893FTSHIP	U19-0609	Yes		
Goodwe	GW5000S-BP	Battery based inverter grid-tied	TUV Rheinland	2018/11/12	50180548 001	AK 50419930 0001	Yes		
Goodwe	GW3600S-BP	Battery based inverter grid-tied	TUV Rheinland	2018/11/12	50180548 001	AK 50419930 0001	Yes		
Goodwe	GW5K-ET	Hybrid PV inverter grid-tied	Bureau Veritas	2019/05/23	PVZA190507N014	1988AP0507N014001	Yes		
Goodwe	GW8K-ET	Hybrid PV inverter grid-tied	Bureau Veritas	2019/05/23	PVZA190507N014	1988AP0507N014001	Yes		
Goodwe	GW10K-ET	Hybrid PV inverter grid-tied	Bureau Veritas	2019/05/23	PVZA190507N014	1988AP0507N014001	Yes		
Goodwe	GW25K-MT	Grid-tied PV inverter	Bureau Veritas	2020/03/05	PVZA181008N021-R1	1888AP1008N021015	Yes		The maximum DC voltage is depended on PV array and may not exceed 1000V when this inverter is used.
Goodwe	GW30K-MT	Grid-tied PV inverter	Bureau Veritas	2020/03/05	PVZA181008N021-R1	1888AP1008N021015	Yes		The maximum DC voltage is depended on PV array and may not exceed 1000V when this inverter is used.
Goodwe	GW36K-MT	Grid-tied PV inverter	Bureau Veritas	2020/03/05	PVZA181008N021-R1	1888AP1008N021015	Yes		The maximum DC voltage is depended on PV array and may not exceed 1000V when this inverter is used.
Goodwe	GW50K-MT	Grid-tied PV inverter	Bureau Veritas	2022/05/06	PVZA180903N057-R2	1888AP0903N057004	Yes		The maximum DC voltage is depended on PV array and may not exceed 1000V when this inverter is used.
Goodwe	GW60K-MT	Grid-tied PV inverter	Bureau Veritas	2022/05/06	PVZA180903N057-R2	1888AP0903N057004	Yes		The maximum DC voltage is depended on PV array and may not exceed 1000V when this inverter is used.
Goodwe	GW50KN-MT	Grid-tied PV inverter	Bureau Veritas	2022/05/06	PVZA180903N057-R2	1888AP0903N057004	Yes		The maximum DC voltage is depended on PV array and may not exceed 1000V when this inverter is used.
Goodwe	GW60KN-MT	Grid-tied PV inverter	Bureau Veritas	2022/05/06	PVZA180903N057-R2	1888AP0903N057004	Yes		The maximum DC voltage is depended on PV array and may not exceed 1000V when this inverter is used.
Goodwe	GW 3000D-NS	Grid-tied PV inverter	Bureau Veritas	2020/01/19	PVZA190627N029	1988AP0627N0290001	Yes		
Goodwe	GW 3600D-NS	Grid-tied PV inverter	Bureau Veritas	2020/01/19	PVZA190627N029	1988AP0627N0290001	Yes		
Goodwe	GW 4200D-NS	Grid-tied PV inverter	Bureau Veritas	2020/01/19	PVZA190627N029	1988AP0627N0290001	Yes		
Goodwe	GW 5000D-NS	Grid-tied PV inverter	Bureau Veritas	2020/01/19	PVZA190627N029	1988AP0627N0290001	Yes		
Goodwe	GW 6000D-NS	Grid-tied PV inverter	Bureau Veritas	2020/01/19	PVZA190627N029	1988AP0627N0290001	Yes		
Goodwe	GW 20KN-DT	Grid-tied PV inverter	Bureau Veritas	2020/04/17	ASBJ-190C2322FTSHS	U20-O270	Yes		
Goodwe	GW 17KN-DT	Grid-tied PV inverter	Bureau Veritas	2020/04/17	ASBJ-190C2322FTSHS	U20-O270	Yes		
Goodwe	GW 15KN-DT	Grid-tied PV inverter	Bureau Veritas	2020/04/17	ASBJ-190C2322FTSHS	U20-O270	Yes		
Goodwe	GW 12KN-DT	Grid-tied PV inverter	Bureau Veritas	2020/04/17	ASBJ-190C2322FTSHS	U20-O270	Yes		
Goodwe	GW 100K-HT	Grid-tied PV inverter	TUV Rheinland	2020/12/24	CN20W6U3 001	AK 50490607 0001	Yes		The maximum DC voltage is depended on PV array and may not exceed 1000V when this inverter is used.
Goodwe	GW 110K-HT	Grid-tied PV inverter	TUV Rheinland	2020/12/24	CN20W6U3 001	AK 50490607 0001	Yes		The maximum DC voltage is depended on PV array and may not exceed 1000V when this inverter is used.
Goodwe	GW 120K-HT	Grid-tied PV inverter	TUV Rheinland	2020/12/24	CN20W6U3 001	AK 50490607 0001	Yes		The maximum DC voltage is depended on PV array and may not exceed 1000V when this inverter is used.
Goodwe	GW 136K-HTH	Grid-tied PV inverter	TUV Rheinland	2020/12/24	CN20W6U3 001	AK 50490607 0001	Yes		The maximum DC voltage is depended on PV array and may not exceed 1000V when this inverter is used.
Goodwe	GW5000-EHB	Hybrid PV inverter grid-tied	SGS	2021/11/11	2220/0404-E1	2620/0404-E1-CER	Yes		
Goodwe	GW6500-EHB	Hybrid PV inverter grid-tied	SGS	2021/11/11	2220/0404-E1	2620/0404-E1-CER	Yes		
Goodwe	GW8600-EHB	Hybrid PV inverter grid-tied	SGS	2021/11/11	2220/0404-E1	2620/0404-E1-CER	Yes		
Goodwe	GW0010-EHB	Hybrid PV inverter grid-tied	SGS	2021/11/11	2220/0404-E1	2620/0404-E1-CER	Yes		
Goodwe	GW 17KT-DT	Hybrid PV inverter grid-tied	TUV Rheinland	2022/04/15	60395681 002	AK 50540008 0001	Yes		The maximum DC voltage is depended on PV array and may not exceed 1000V when this inverter is used.
Goodwe	GW 20KT-DT	Hybrid PV inverter grid-tied	TUV Rheinland	2022/04/15	60395681 002	AK 50540008 0001	Yes		The maximum DC voltage is depended on PV array and may not exceed 1000V when this inverter is used.
Goodwe	GW 25KT-DT	Hybrid PV inverter grid-tied	TUV Rheinland	2022/04/15	60395681 002	AK 50540008 0001	Yes		The maximum DC voltage is depended on PV array and may not exceed 1000V when this inverter is used.
Goodwe	GW50KS-MT	Grid-tied PV inverter	TUV NORD & Donguan Balun	2022/06/07	TRPVP11058/21E/02	COCPVP11058/21E-04	Yes		The maximum DC voltage is depended on PV array and may not exceed 1000V when this inverter is used.
Goodwe	GW60KS-MT	Grid-tied PV inverter	TUV NORD & Donguan Balun	2022/06/07	TRPVP11058/21E/02	COCPVP11058/21E-04	Yes		The maximum DC voltage is depended on PV array and may not exceed 1000V when this inverter is used.
Goodwe	GWx-ES-20	Hybrid PV inverter grid-tied	TUV Rheinland	2022/07/06	CN22SCQU 001	AK 50550767 0001	Yes		Where x = 3000, 3600, 5000, 6000
Goodwe	GWxM-ES-20	Hybrid PV inverter grid-tied	TUV Rheinland	2022/07/06	CN22SCQU 001	AK 50550767 0001	Yes		Where x = 3000, 3600, 5000, 6000
Goodwe	GWx-SBP-20	Hybrid PV inverter grid-tied	TUV Rheinland	2022/07/06	CN22SCQU 001	AK 50550767 0001	Yes		Where x = 3000, 3600, 5000, 6000

Goodwe	GW80K-MT	Grid-tied PV inverter	Bureau Veritas	2022/08/10		PVZA191217N016-R2	228AP080015001		Yes	The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growatt	SPH3000TL-BL-UP	Hybrid PV inverter grid-tied	Intertek	2019/10/25	190719102GZU-001	CN-PV-190037	Yes			
Growatt	SPH3600TL-BL-UP	Hybrid PV inverter grid-tied	Intertek	2019/10/25	190719102GZU-001	CN-PV-190037	Yes			
Growatt	SPH4000TL-BL-UP	Hybrid PV inverter grid-tied	Intertek	2019/10/25	190719102GZU-001	CN-PV-190037	Yes			
Growatt	SPH4600TL-BL-UP	Hybrid PV inverter grid-tied	Intertek	2019/10/25	190719102GZU-001	CN-PV-190037	Yes			
Growatt	SPH5000TL-BL-UP	Hybrid PV inverter grid-tied	Intertek	2019/10/25	190719102GZU-001	CN-PV-190037	Yes			
Growatt	SPH6000TL-BL-UP	Hybrid PV inverter grid-tied	Intertek	2019/10/25	190719102GZU-001	CN-PV-190037	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growatt	MAX 80KTL3 LV	Grid-tied PV inverter	SGS	2020/06/04	2220 - 0165 - A / E1	2620/0165-A-CER	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growatt	MAX 70KTL3 LV	Grid-tied PV inverter	SGS	2020/06/04	2220 - 0165 - A / E1	2620/0165-A-CER	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growatt	MAX 60KTL3 LV	Grid-tied PV inverter	SGS	2020/06/04	2220 - 0165 - A / E1	2620/0165-A-CER	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growatt	MAX 50KTL3 LV	Grid-tied PV inverter	SGS	2020/06/04	2220 - 0165 - A / E1	2620/0165-A-CER	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GHyper-3000	Hybrid PV inverter grid-tied	Dakra	2021/08/20	6111798.51	6111798.02AOC	Yes	Yes		
Growcol	GHyper-3680	Hybrid PV inverter grid-tied	Dakra	2021/08/20	6111798.51	6111798.02AOC	Yes	Yes		
Growcol	GHyper-5000	Hybrid PV inverter grid-tied	Dakra	2021/08/20	6111798.51	6111798.02AOC	Yes	Yes		
Growcol	GX25KT	Grid-tied PV inverter	Intertek	2022/06/27	220120058GZU-001, Rev 1	CN-PV-220040R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX25KT-S	Grid-tied PV inverter	Intertek	2022/06/27	220120058GZU-001, Rev 1	CN-PV-220040R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX30KT	Grid-tied PV inverter	Intertek	2022/06/27	220120058GZU-001, Rev 1	CN-PV-220040R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX30KT-S	Grid-tied PV inverter	Intertek	2022/06/27	220120058GZU-001, Rev 1	CN-PV-220040R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX33KT	Grid-tied PV inverter	Intertek	2022/06/27	220120058GZU-001, Rev 1	CN-PV-220040R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX33KT-S	Grid-tied PV inverter	Intertek	2022/06/27	220120058GZU-001, Rev 1	CN-PV-220040R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX36KT	Grid-tied PV inverter	Intertek	2022/06/27	220120058GZU-001, Rev 1	CN-PV-220040R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX36KT-S	Grid-tied PV inverter	Intertek	2022/06/27	220120058GZU-001, Rev 1	CN-PV-220040R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX40KT	Grid-tied PV inverter	Intertek	2022/06/27	220120058GZU-001, Rev 1	CN-PV-220040R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX40KT-S	Grid-tied PV inverter	Intertek	2022/06/27	220120058GZU-001, Rev 1	CN-PV-220040R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX50KT	Grid-tied PV inverter	Intertek	2022/06/27	220120057GZU-001, Rev 1	CN-PV-220039R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX50KTL	Grid-tied PV inverter	Intertek	2022/06/27	220120057GZU-001, Rev 1	CN-PV-220039R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX50KTL-S	Grid-tied PV inverter	Intertek	2022/06/27	220120057GZU-001, Rev 1	CN-PV-220039R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX50KT-S	Grid-tied PV inverter	Intertek	2022/06/27	220120057GZU-001, Rev 1	CN-PV-220039R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX60KTL	Grid-tied PV inverter	Intertek	2022/06/27	220120057GZU-001, Rev 1	CN-PV-220039R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX60KTL-S	Grid-tied PV inverter	Intertek	2022/06/27	220120057GZU-001, Rev 1	CN-PV-220039R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX60KT-S	Grid-tied PV inverter	Intertek	2022/06/27	220120057GZU-001, Rev 1	CN-PV-220039R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX66KT	Grid-tied PV inverter	Intertek	2022/06/27	220120057GZU-001, Rev 1	CN-PV-220039R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX66KT-S	Grid-tied PV inverter	Intertek	2022/06/27	220120057GZU-001, Rev 1	CN-PV-220039R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX70KT	Grid-tied PV inverter	Intertek	2022/06/27	220120057GZU-001, Rev 1	CN-PV-220039R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX70KT-S	Grid-tied PV inverter	Intertek	2022/06/27	220120057GZU-001, Rev 1	CN-PV-220039R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX100KT	Grid-tied PV inverter	Intertek	2022/06/27	220307041GZU-001, Rev 1	CN-PV-220070R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX100KT-F	Grid-tied PV inverter	Intertek	2022/06/27	220307041GZU-001, Rev 1	CN-PV-220070R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX110KT	Grid-tied PV inverter	Intertek	2022/06/27	220307041GZU-001, Rev 1	CN-PV-220070R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX110KT-F	Grid-tied PV inverter	Intertek	2022/06/27	220307041GZU-001, Rev 1	CN-PV-220070R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX136KT-L	Grid-tied PV inverter	Intertek	2022/06/27	220307041GZU-001, Rev 1	CN-PV-220070R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX136KT-LF	Grid-tied PV inverter	Intertek	2022/06/27	220307041GZU-001, Rev 1	CN-PV-220070R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX136KT-X	Grid-tied PV inverter	Intertek	2022/06/27	220307041GZU-001, Rev 1	CN-PV-220070R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GX136KT-XF	Grid-tied PV inverter	Intertek	2022/06/27	220307041GZU-001, Rev 1	CN-PV-220070R1	Yes			The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Growcol	GW-MPS0030	Hybrid PV inverter grid-tied	TUV NORD (Hangzhou)	2022/05/24	TRPV040042/22E01	COCPPV04002/22E-01	Yes			
Growcol	GW-MPS0050	Hybrid PV inverter grid-tied	TUV NORD (Hangzhou)	2022/05/24	TRPV040042/22E01	COCPPV04002/22E-01	Yes			
Growcol	GW-MPS0100	Hybrid PV inverter grid-tied	TUV NORD (Hangzhou)	2022/05/24	TRPV040042/22E01	COCPPV04002/22E-01	Yes			
Growcol	GW-MPS0150	Hybrid PV inverter grid-tied	TUV NORD (Hangzhou)	2022/05/24	TRPV040042/22E01	COCPPV04002/22E-01	Yes			
Growcol	GW8KST1	Hybrid PV inverter grid-tied	TUV SUD	2022/10/14	64.290.22.31173.01	D 118596.0001 Rev.00				
Hoymiles	MI-500	Grid-tied PV inverter	Bureau Veritas	2018/07/10	BMH-18JA0680FCSP-R1	U18-0374	Yes			Hoymiles MI-500, 600 and 700 micro inverters are not equipped with an internal disconnection device and an external DC linked network and system protection voltage and frequency may must be provided in the photovoltaic system with appropriately sized two in series connectors according to NRS 997-2-1 requirements and default settings.
Hoymiles	MI-600	Grid-tied PV inverter	Bureau Veritas	2018/07/10	BMH-18JA0680FCSP-R1	U18-0374	Yes			
Hoymiles	MI-700	Grid-tied PV inverter	Bureau Veritas	2018/07/10	BMH-18JA0680FCSP-R1	U18-0374	Yes			
Hoymiles	MI-1000	Grid-tied PV inverter	Bureau Veritas	2018/07/27	ZEM-18AP0889FCSP	U18-0435	Yes			
Hoymiles	MI-1200	Grid-tied PV inverter	Bureau Veritas	2018/07/27	ZEM-18AP0889FCSP	U18-0435	Yes			
Hoymiles	MI-1200T	Grid-tied PV inverter	Bureau Veritas	2018/07/27	ZEM-18AP0889FCSP	U18-0435	Yes			
Hoymiles	HM-500	Grid-tied PV inverter	TUV NORD & Donguan Balun	2021/11/19	TRPVP03078/21B/02	COCPPV03078/21B-02		Yes		
Hoymiles	HM-500T	Grid-tied PV inverter	TUV NORD & Donguan Balun	2021/11/19	TRPVP03078/21B/02	COCPPV03078/21B-02		Yes		
Hoymiles	HM-600	Grid-tied PV inverter	TUV NORD & Donguan Balun	2021/11/19	TRPVP03078/21B/02	COCPPV03078/21B-02		Yes		
Hoymiles	HM-600T	Grid-tied PV inverter	TUV NORD & Donguan Balun	2021/11/19	TRPVP03078/21B/02	COCPPV03078/21B-02		Yes		
Hoymiles	HM-700	Grid-tied PV inverter	TUV NORD & Donguan Balun	2021/11/19	TRPVP03078/21B/02	COCPPV03078/21B-02		Yes		
Hoymiles	HM-700T	Grid-tied PV inverter	TUV NORD & Donguan Balun	2021/11/19	TRPVP03078/21B/02	COCPPV03078/21B-02		Yes		

[illegible]

Kodak	Kodak H3.5	Hybrid PV inverter grid-tied	TUV Rheinland	2019/12/17	50173405 002	AK 50454890 0001	Yes		
Kodak	Kodak H4.6	Hybrid PV inverter grid-tied	TUV Rheinland	2019/12/17	50173405 002	AK 50454890 0001	Yes		
Koyoe	KY-1Hybrid-Sk0-H	Hybrid PV inverter grid-tied	Intertek	2021/02/22	201102063GZU-001	CN-PV-210016	Yes		
Koyoe	KY-1Hybrid-Sk0-H-A	Hybrid PV inverter grid-tied	Intertek	2021/06/21	210525156GZU-001	CN-PV-210154	Yes		
Koyoe	KY-EST08KH-A	Hybrid PV inverter grid-tied	TUV NORD	2021/12/30	TRPVPO403921E-09	COCVPV0403921E-02	Yes		
Koyoe	KY-EST10KH-A	Hybrid PV inverter grid-tied	TUV NORD	2021/12/30	TRPVPO403921E-09	COCVPV0403921E-02	Yes		
Koyoe	KY-EST12KH-A	Hybrid PV inverter grid-tied	TUV NORD	2021/12/30	TRPVPO403921E-09	COCVPV0403921E-02	Yes		
Koyoe	KY-EST15KH-A	Hybrid PV inverter grid-tied	TUV NORD	2021/12/30	TRPVPO403921E-09	COCVPV0403921E-02	Yes		
Koyoe	KY-EST17KH-A	Hybrid PV inverter grid-tied	TUV NORD	2021/12/30	TRPVPO403921E-09	COCVPV0403921E-02	Yes		
Koyoe	KY-EST20KH-A	Hybrid PV inverter grid-tied	TUV NORD	2021/12/30	TRPVPO403921E-09	COCVPV0403921E-02	Yes		
KSTAR	Blue-S 3680D	Hybrid PV inverter grid-tied	TUV SUD	2021/09/23	64.290.20.30989.03	D 075386 0136 Rev.02	Yes		
KSTAR	Blue-S 5000D	Hybrid PV inverter grid-tied	TUV SUD	2021/09/23	64.290.20.30989.03	D 075386 0136 Rev.02	Yes		
KSTAR	Blue-S 3680D-M1	Hybrid PV inverter grid-tied	TUV SUD	2021/09/23	64.290.20.30989.03	D 075386 0136 Rev.02	Yes		
KSTAR	Blue-S 5000D-M1	Hybrid PV inverter grid-tied	TUV SUD	2021/09/23	64.290.20.30989.03	D 075386 0136 Rev.02	Yes		
KSTAR	Blue-G 3000S	Grid-tied PV inverter	TUV SUD	2021/09/23	64.290.21.30004.03	D 075386 0137 Rev.02	Yes		
KSTAR	Blue-G 3000S-M1	Grid-tied PV inverter	TUV SUD	2021/09/23	64.290.21.30004.03	D 075386 0137 Rev.02	Yes		
KSTAR	Blue-G 3000D	Grid-tied PV inverter	TUV SUD	2021/09/23	64.290.21.30004.03	D 075386 0137 Rev.02	Yes		
KSTAR	Blue-G 3000D-M0	Grid-tied PV inverter	TUV SUD	2021/09/23	64.290.21.30004.03	D 075386 0137 Rev.02	Yes		
KSTAR	Blue-G 3000D-M1	Grid-tied PV inverter	TUV SUD	2021/09/23	64.290.21.30004.03	D 075386 0137 Rev.02	Yes		
KSTAR	Blue-G 3600D	Grid-tied PV inverter	TUV SUD	2021/09/23	64.290.21.30004.03	D 075386 0137 Rev.02	Yes		
KSTAR	Blue-G 3600D-M0	Grid-tied PV inverter	TUV SUD	2021/09/23	64.290.21.30004.03	D 075386 0137 Rev.02	Yes		
KSTAR	Blue-G 3600D-M1	Grid-tied PV inverter	TUV SUD	2021/09/23	64.290.21.30004.03	D 075386 0137 Rev.02	Yes		
KSTAR	Blue-G 4000D	Grid-tied PV inverter	TUV SUD	2021/09/23	64.290.21.30004.03	D 075386 0137 Rev.02	Yes		
KSTAR	Blue-G 4000D-M0	Grid-tied PV inverter	TUV SUD	2021/09/23	64.290.21.30004.03	D 075386 0137 Rev.02	Yes		
KSTAR	Blue-G 4000D-M1	Grid-tied PV inverter	TUV SUD	2021/09/23	64.290.21.30004.03	D 075386 0137 Rev.02	Yes		
KSTAR	Blue-G 4200D	Grid-tied PV inverter	TUV SUD	2021/09/23	64.290.21.30004.03	D 075386 0137 Rev.02	Yes		
KSTAR	Blue-G 4200D-M1	Grid-tied PV inverter	TUV SUD	2021/09/23	64.290.21.30004.03	D 075386 0137 Rev.02	Yes		
KSTAR	Blue-G 4600D	Grid-tied PV inverter	TUV SUD	2021/09/23	64.290.21.30004.03	D 075386 0137 Rev.02	Yes		
KSTAR	Blue-G 4600D-M1	Grid-tied PV inverter	TUV SUD	2021/09/23	64.290.21.30004.03	D 075386 0137 Rev.02	Yes		
Lifaynk	Lif3 5H402	Hybrid PV inverter grid-tied	Dongguan Batun	2022/05/18	BL-DG2240044-B01	BL-DG2240044D01	Yes		
Lifaynk	Lif3 3H402	Hybrid PV inverter grid-tied	Dongguan Batun	2022/05/18	BL-DG2240044-B01	BL-DG2240044D01	Yes		
Livoltik	Hyper-2000	Hybrid PV inverter grid-tied	Dakra	2019/07/05	6055811_50	6055811.01AOC	Yes		
Livoltik	Hyper-3000	Hybrid PV inverter grid-tied	Dakra	2019/07/05	6055811_50	6055811.01AOC	Yes		
Livoltik	Hyper-3680	Hybrid PV inverter grid-tied	Dakra	2019/07/05	6055811_50	6055811.01AOC	Yes		
Livoltik	Hyper-4600	Hybrid PV inverter grid-tied	Dakra	2019/07/05	6055811_50	6055811.01AOC	Yes		
Livoltik	Hyper-5000	Hybrid PV inverter grid-tied	Dakra	2019/07/05	6055811_50	6055811.01AOC	Yes		
Livoltik	Rebro-2000	Battery based inverter grid-tied	Dakra	2019/07/05	6055811_50	6055811.01AOC	Yes		
Livoltik	Rebro-3000	Battery based inverter grid-tied	Dakra	2019/07/05	6055811_50	6055811.01AOC	Yes		
Livoltik	Rebro-3680	Battery based inverter grid-tied	Dakra	2019/07/05	6055811_50	6055811.01AOC	Yes		
Livoltik	Rebro-4600	Battery based inverter grid-tied	Dakra	2019/07/05	6055811_50	6055811.01AOC	Yes		
Livoltik	Rebro-5000	Battery based inverter grid-tied	Dakra	2019/07/05	6055811_50	6055811.01AOC	Yes		
Lovato	PMVF 80	Network & system relay	TUV SUD	2020/10/28	TR-486678-8269-504 (Ed 01)	D 084111 Rev. 00	No	No	
Lux Power	LXP 3K Hybrid	Hybrid PV inverter grid-tied	Intertek	2019/08/29	190624070GZU-001	CN-PV-190006	Yes		
Lux Power	LXP 4K Hybrid	Hybrid PV inverter grid-tied	Intertek	2019/08/29	190624070GZU-001	CN-PV-190006	Yes		
Lux Power	LXP 5K Hybrid	Hybrid PV inverter grid-tied	Intertek	2019/08/29	190624070GZU-001	CN-PV-190006	Yes		
Lux Power	LXP-LB-EU 8K	Hybrid PV inverter grid-tied	Intertek	2022/08/16	21111140GZU-001	CN-PV-220166	Yes		
Lux Power	LXP-LB-EU 10K	Hybrid PV inverter grid-tied	Intertek	2022/08/16	21111140GZU-001	CN-PV-220166	Yes		
Lux Power	LXP-LB-EU 12K	Hybrid PV inverter grid-tied	Intertek	2022/08/22	220630104GZU-001	CN-PV-220171	Yes		
Meccor	Meccor Sol-4S-10M	Hybrid PV inverter grid-tied	Bureau Veritas	2020/10/30	PVZA2180904N057-R1	2084AP0923001002	Yes		
Megarevo	R3KL1	Hybrid PV inverter grid-tied	TUV SUD	2022/01/14	64.290.21.30686.01	D 115385 0001 Rev.00	Yes		
Megarevo	R3KL1	Hybrid PV inverter grid-tied	TUV SUD	2022/01/14	64.290.21.30686.01	D 115385 0001 Rev.00	Yes		
Megarevo	R4KL1	Hybrid PV inverter grid-tied	TUV SUD	2022/01/14	64.290.21.30686.01	D 115385 0001 Rev.00	Yes		
Megarevo	R4KL1	Hybrid PV inverter grid-tied	TUV SUD	2022/01/14	64.290.21.30686.01	D 115385 0001 Rev.00	Yes		
Megarevo	R5KL1	Hybrid PV inverter grid-tied	TUV SUD	2022/01/14	64.290.21.30686.01	D 115385 0001 Rev.00	Yes		
Megarevo	R8KL1	Hybrid PV inverter grid-tied	TUV SUD	2022/01/14	64.290.21.30686.01	D 115385 0001 Rev.00	Yes		
Megarevo	R8KL1	Hybrid PV inverter grid-tied	TUV SUD	2022/01/14	64.290.21.30686.01	D 115385 0001 Rev.00	Yes		
Ohm	OHM-8K-W	Hybrid PV inverter grid-tied	Shenzhen Batun	2020/02/26	BL-SZ1910095-B02	BL-SZ1910095-D02	Yes		
Ohm	OHM-7.5K-W	Hybrid PV inverter grid-tied	Shenzhen Batun	2020/02/26	BL-SZ1910095-B02	BL-SZ1910095-D02	Yes		
Ohm	OHM-4K-W	Hybrid PV inverter grid-tied	Shenzhen Batun	2020/02/26	BL-SZ1910095-B02	BL-SZ1910095-D02	Yes		
Ohm	OHM-5K-W	Hybrid PV inverter grid-tied	Shenzhen Batun	2020/02/26	BL-SZ1910095-B02	BL-SZ1910095-D02	Yes		
Ohm	OHM-3.6K-W	Hybrid PV inverter grid-tied	Shenzhen Batun	2020/02/26	BL-SZ1910095-B02	BL-SZ1910095-D02	Yes		
Ouco	M3KES	Hybrid PV inverter grid-tied	TUV SUD	2022/01/25	64.290.22.30047.01	D 115420 0001 Rev.00	Yes		
Ouco	M3KES	Hybrid PV inverter grid-tied	TUV SUD	2022/01/25	64.290.22.30047.01	D 115420 0001 Rev.00	Yes		
Ouco	M4KES	Hybrid PV inverter grid-tied	TUV SUD	2022/01/25	64.290.22.30047.01	D 115420 0001 Rev.00	Yes		
Ouco	M4KES	Hybrid PV inverter grid-tied	TUV SUD	2022/01/25	64.290.22.30047.01	D 115420 0001 Rev.00	Yes		
Ouco	M5KES	Hybrid PV inverter grid-tied	TUV SUD	2022/01/25	64.290.22.30047.01	D 115420 0001 Rev.00	Yes		
Ouco	M6KES	Hybrid PV inverter grid-tied	TUV SUD	2022/01/25	64.290.22.30047.01	D 115420 0001 Rev.00	Yes		
Ouco	M8KDS	Hybrid PV inverter grid-tied	TUV SUD	2022/01/27	64.290.22.30048.01	D 115420 0002 Rev.00	Yes		
Reintech	HYD 3000-EP	Hybrid PV inverter grid-tied	Intertek	2020/12/22	201207035GZU-001	CN-PV-200172	Yes		
Reintech	HYD 3680-EP	Hybrid PV inverter grid-tied	Intertek	2020/12/22	201207035GZU-001	CN-PV-200172	Yes		
Reintech	HYD 4000-EP	Hybrid PV inverter grid-tied	Intertek	2020/12/22	201207035GZU-001	CN-PV-200172	Yes		
Reintech	HYD 4600-EP	Hybrid PV inverter grid-tied	Intertek	2020/12/22	201207035GZU-001	CN-PV-200172	Yes		
Reintech	HYD 5000-EP	Hybrid PV inverter grid-tied	Intertek	2020/12/22	201207035GZU-001	CN-PV-200172	Yes		
Reintech	HYD 5500-EP	Hybrid PV inverter grid-tied	Intertek	2020/12/22	201207035GZU-001	CN-PV-200172	Yes		
Reintech	HYD 6000-EP	Hybrid PV inverter grid-tied	Intertek	2020/12/22	201207035GZU-001	CN-PV-200172	Yes		
Reintech	INFINSOLAR PLUS 5 KW	Hybrid PV inverter grid-tied	Bureau Veritas	2021/02/20	PVZA2101WDG0269	2188AP0269001	Yes		
Royal	RH 3.6K-1PLVG1-EU	Hybrid PV inverter grid-tied	Intertek	2022/10/17	220600667SHA-004	CN-PV-220212R1	Yes		
Royal	RH 4.6K-1PLVG1-EU	Hybrid PV inverter grid-tied	Intertek	2022/10/17	220600667SHA-004	CN-PV-220212R1	Yes		
Royal	RH 5.6K-1PLVG1-EU	Hybrid PV inverter grid-tied	Intertek	2022/10/17	220600667SHA-004	CN-PV-220212R1	Yes		
SAJ	H1-3K-S2	Hybrid PV inverter grid-tied	TUV SUD	2022/11/18	64.290.20.30788.02	D 077831 0019 Rev.01	Yes		
SAJ	H1-3.6K-S2	Hybrid PV inverter grid-tied	TUV SUD	2022/11/18	64.290.20.30788.02	D 077831 0019 Rev.01	Yes		
SAJ	H1-4K-S2	Hybrid PV inverter grid-tied	TUV SUD	2022/11/18	64.290.20.30788.02	D 077831 0019 Rev.01	Yes		
SAJ	H1-4.6K-S2	Hybrid PV inverter grid-tied	TUV SUD	2022/11/18	64.290.20.30788.02	D 077831 0019 Rev.01	Yes		
SAJ	H1-5K-S2	Hybrid PV inverter grid-tied	TUV SUD	2022/11/18	64.290.20.30788.02	D 077831 0019 Rev.01	Yes		
SAJ	H1-4.6K-S2	Hybrid PV inverter grid-tied	TUV SUD	2022/11/18	64.290.20.30788.02	D 077831 0019 Rev.01	Yes		
SAJ	H1-5K-S2	Hybrid PV inverter grid-tied	TUV SUD	2022/11/18	64.290.20.30788.02	D 077831 0019 Rev.01	Yes		

networks by signing a professional message to the relevant authority only in accordance with EN IEC 612-100 and IEC 61851-1:2018-11. Must be programmed to NRS 997-2-1 or the applicable South African Grid Codes and may only be used in conjunction with approved NRS 997-2-1 type listed inverters on the list.

Schneider	Conext CL-60E	Grid-tied PV inverter	TUV SUD	2018/02/09	701261703501-01	D 18 01 98208 006	Yes		
Schneider	XVF-R548E	Battery based inverter grid-tied	TUV Rheinland	2020/08/11	50326804 002	AK 50477341 0001	Yes		
Schneider	CL 33	Grid-tied PV inverter	TUV NORD & Shenzhen Balun	2021/02/09	TRPVVP11115/208/01_R2	COCPPV11115/208_R1	Yes		The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Schneider	CL50	Grid-tied PV inverter	TUV SUD	2021/02/09	TRPVVP11115/208/01_R2	COCPPV11115/208_R1	Yes		The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Sermatec	SMT-5K-TL-LV	Hybrid PV inverter grid-tied	TUV SUD	2019/07/25	64.290.19.0142.01	D 102650 0007	Yes		
Sermatec	SMT-10K-TL-TH	Hybrid PV inverter grid-tied	TUV SUD	2019/07/25	64.290.18.04743.01	D 102650 0009	Yes		
Sinexcel	PWG2-50K-EX	Hybrid PV inverter grid-tied	TUV SUD	2021/09/10	64.290.21.30201.02	D 076777 0016 Rev. 01	Yes		Inverter may only be used in plants according to Category A3: 100 kVA - 1MVA. Inverter not equipped with an internal disconnection device and an external City listed network and system grid protection voltage and frequency relay must be provided with appropriately sized electromechanical switches.
Sinexcel	PWG2-100K-EX	Hybrid PV inverter grid-tied	TUV SUD	2021/09/10	64.290.21.30201.02	D 076777 0016 Rev. 01	Yes		Inverter may only be used in plants according to Category A3: 100 kVA - 1MVA. Inverter not equipped with an internal disconnection device and an external City listed network and system grid protection voltage and frequency relay must be provided with appropriately sized electromechanical switches.
SMA	STP50-40	Grid-tied PV inverter	Bureau Veritas	2018/06/29	17TH0199-NRS 097-2-1_2	U18-0334	Yes		Inverter may only be used in plants according to Category A3: 100 kVA - 1MVA and connection to the grid via an external customer MV/LV AC transformer.
SMA	STP60-10	Grid-tied PV inverter	Bureau Veritas	2018/09/26	14TH0075-NRS 097-2-1_3	U18-0451	Yes		Inverter may only be used in plants according to Category A3: 100 kVA - 1MVA and connection to the grid via an external customer MV/LV AC transformer.
SMA	SHP75-10	Grid-tied PV inverter	Bureau Veritas	2018/09/26	14TH0075-NRS 097-2-1_3	U18-0451	Yes		Inverter may only be used in plants according to Category A3: 100 kVA - 1MVA and connection to the grid via an external customer MV/LV AC transformer.
SMA	STP5 60-10	Battery based PV inverter grid-tied	Bureau Veritas	2018/09/26	14TH0075-NRS 097-2-1_3	U18-0451	Yes		Inverter may only be used in plants according to Category A3: 100 kVA - 1MVA and connection to the grid via an external customer MV/LV AC transformer.
SMA	SB3.0-1AV-41	Grid-tied PV inverter	Bureau Veritas	2023/01/20	16TH0348-NRS 097-2-1_1	U23-0041	Yes		
SMA	SB3.6-1AV-41	Grid-tied PV inverter	Bureau Veritas	2023/01/20	16TH0348-NRS 097-2-1_1	U23-0041	Yes		
SMA	SB4.0-1AV-41	Grid-tied PV inverter	Bureau Veritas	2023/01/20	16TH0348-NRS 097-2-1_1	U23-0041	Yes		
SMA	SB5.0-1AV-41	Grid-tied PV inverter	Bureau Veritas	2023/01/20	16TH0348-NRS 097-2-1_1	U23-0041	Yes		
SMA	SB6.0-1AV-41	Grid-tied PV inverter	Bureau Veritas	2023/01/20	16TH0348-NRS 097-2-1_1	U23-0041	Yes		
SMA	STP 15000TL-30	Grid-tied PV inverter	Bureau Veritas	2020/08/13	14TH0304-NRS 097-2-1-2017_0	U20-0641	Yes		
SMA	STP 20000TL-30	Grid-tied PV inverter	Bureau Veritas	2020/08/13	14TH0304-NRS 097-2-1-2017_0	U20-0641	Yes		
SMA	STP 25000TL-30	Grid-tied PV inverter	Bureau Veritas	2020/08/13	14TH0304-NRS 097-2-1-2017_0	U20-0641	Yes		
SMA	STP 110-60	Grid-tied PV inverter	TUV SUD	2021/01/21	704092001861-00	D 0701220019 Rev. 00	Yes		The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
SMA	STP3.0-3AV-40	Grid-tied PV inverter	Bureau Veritas	2021/07/14	18TH0325-NRS-2-1_0	U21-0661	Yes		
SMA	STP4.0-3AV-40	Grid-tied PV inverter	Bureau Veritas	2021/07/14	18TH0325-NRS-2-1_0	U21-0661	Yes		
SMA	STP5.0-3AV-40	Grid-tied PV inverter	Bureau Veritas	2021/07/14	18TH0325-NRS-2-1_0	U21-0661	Yes		
SMA	STP6.0-3AV-40	Grid-tied PV inverter	Bureau Veritas	2021/07/14	18TH0325-NRS-2-1_0	U21-0661	Yes		
SMA	STP8.0-3AV-40	Grid-tied PV inverter	Bureau Veritas	2021/07/14	18TH0325-NRS-2-1_0	U21-0661	Yes		
SMA	STP10.0-3AV-40	Grid-tied PV inverter	Bureau Veritas	2021/07/14	18TH0325-NRS-2-1_0	U21-0661	Yes		
SMA	STP5.0-3SE-40	Hybrid PV inverter grid-tied	TUV Rheinland	2022/02/21	CN210918 001	AK 50510847 0001	Yes		
SMA	STP6.0-3SE-40	Hybrid PV inverter grid-tied	TUV Rheinland	2022/02/21	CN210918 001	AK 50510847 0001	Yes		
SMA	STP8.0-3SE-40	Hybrid PV inverter grid-tied	TUV Rheinland	2022/02/21	CN210918 001	AK 50510847 0001	Yes		
SMA	STP10.0-3SE-40	Hybrid PV inverter grid-tied	TUV Rheinland	2022/02/21	CN210918 001	AK 50510847 0001	Yes		
SMA	STP12-50	Grid-tied PV inverter	TUV SUD	2022/12/21	713254379-006	ESY 070122 0040 Rev.00	Yes		Inverter is intended for use according to Category A3 and for grid connection with an external customer MV/LV AC transformer.
SMA	STP15-50	Grid-tied PV inverter	TUV SUD	2022/12/21	713254379-006	ESY 070122 0040 Rev.00	Yes		Inverter is intended for use according to Category A3 and for grid connection with an external customer MV/LV AC transformer.
SMA	STP20-51	Grid-tied PV inverter	TUV SUD	2022/12/21	713254379-006	ESY 070122 0040 Rev.00	Yes		Inverter is intended for use according to Category A3 and for grid connection with an external customer MV/LV AC transformer.
SMA	STP25-50	Grid-tied PV inverter	TUV SUD	2022/12/21	713254379-006	ESY 070122 0040 Rev.00	Yes		Inverter is intended for use according to Category A3 and for grid connection with an external customer MV/LV AC transformer.
Solar Solar	HYD 6000-ES	Hybrid PV inverter grid-tied	Intertek	2019/07/16	190603089GZU-001	190603089GZU-001	Yes		
Solar Solar	HYD 5000-ES	Hybrid PV inverter grid-tied	Intertek	2019/07/16	190603089GZU-001	190603089GZU-001	Yes		
Solar Solar	HYD 4000-ES	Hybrid PV inverter grid-tied	Intertek	2019/07/16	190603089GZU-001	190603089GZU-001	Yes		
Solar Solar	HYD 3600-ES	Hybrid PV inverter grid-tied	Intertek	2019/07/16	190603089GZU-001	190603089GZU-001	Yes		
Solar Solar	HYD 3000-ES	Hybrid PV inverter grid-tied	Intertek	2019/07/16	190603089GZU-001	190603089GZU-001	Yes		
Solar Solar	6000TL	Grid-tied PV inverter	Intertek	2019/12/19	191025090GZU-001	CN-PV-190900	Yes		
Solar Solar	5000TL	Grid-tied PV inverter	Intertek	2019/12/19	191025090GZU-001	CN-PV-190900	Yes		
Solar Solar	HYD 5KTL-3PH	Hybrid PV inverter grid-tied	Shenzhen Balun	2020/07/10	BL-DG2060517-B01	BL-DG2060517D01	Yes		
Solar Solar	HYD 6KTL-3PH	Hybrid PV inverter grid-tied	Shenzhen Balun	2020/07/10	BL-DG2060517-B01	BL-DG2060517D01	Yes		
Solar Solar	HYD 8KTL-3PH	Hybrid PV inverter grid-tied	Shenzhen Balun	2020/07/10	BL-DG2060517-B01	BL-DG2060517D01	Yes		
Solar Solar	HYD 10KTL-3PH	Hybrid PV inverter grid-tied	Shenzhen Balun	2020/07/10	BL-DG2060517-B01	BL-DG2060517D01	Yes		
Solar Solar	HYD 15KTL-3PH	Hybrid PV inverter grid-tied	Shenzhen Balun	2020/07/10	BL-DG2060517-B01	BL-DG2060517D01	Yes		
Solar Solar	HYD 20KTL-3PH	Hybrid PV inverter grid-tied	Shenzhen Balun	2020/07/10	BL-DG2060517-B01	BL-DG2060517D01	Yes		
Solar Solar	3KTL-G3	Grid-tied PV inverter	Intertek	2021/08/09	210715145GZU-002	CN-PV-210185	Yes		
Solar Solar	3.6KTL-G3	Grid-tied PV inverter	Intertek	2021/08/09	210715145GZU-002	CN-PV-210185	Yes		
Solar Solar	4KTL-G3	Grid-tied PV inverter	Intertek	2021/08/09	210715145GZU-002	CN-PV-210185	Yes		
Solar Solar	4.6KTL-G3	Grid-tied PV inverter	Intertek	2021/08/09	210715145GZU-002	CN-PV-210185	Yes		
Solar Solar	5KTL-G3	Grid-tied PV inverter	Intertek	2021/08/09	210715145GZU-002	CN-PV-210185	Yes		
Solar Solar	5KTL-G3-A	Grid-tied PV inverter	Intertek	2021/08/09	210715145GZU-002	CN-PV-210185	Yes		
Solar Solar	8KTL-G3	Grid-tied PV inverter	Intertek	2021/08/09	210715145GZU-002	CN-PV-210185	Yes		
SolarEdge	SE25K	Grid-tied PV inverter	Bureau Veritas	2020/12/19	19TH0534-NRS 097-2-1_2	U20-1043	Yes		Grid connection inverter for 230 V, L-N / 400Vac, L-L output only and is intended with and without AC transformer for Category A2 and A3 plant.
SolarEdge	SE27.6K	Grid-tied PV inverter	Bureau Veritas	2020/12/19	19TH0534-NRS 097-2-1_2	U20-1043	Yes		Grid connection inverter for 230 V, L-N / 400Vac, L-L output only and is intended with and without AC transformer for Category A2 and A3 plant.
SolarEdge	SE30K	Grid-tied PV inverter	Bureau Veritas	2020/12/19	19TH0534-NRS 097-2-1_2	U20-1043	Yes		For 277 Vac, L-N / 480 Vac L-L, grid inverter may only be used in plants according to Category A3: 100 kVA - 1MVA and connection to the grid via an external customer MV/LV AC transformer. Grid connection inverter with 230 V, L-N / 400Vac, L-L output is intended with and without AC transformer for Category A2 and A3 plant.
SolarEdge	SE33.3K	Grid-tied PV inverter	Bureau Veritas	2020/12/19	19TH0534-NRS 097-2-1_2	U20-1043	Yes		For 277 Vac, L-N / 480 Vac L-L, grid inverter may only be used in plants according to Category A3: 100 kVA - 1MVA and connection to the grid via an external customer MV/LV AC transformer. Grid connection inverter with 230 V, L-N / 400Vac, L-L output is intended with and without AC transformer for Category A2 and A3 plant.

SolarEdge	SE40K	Grid-tied PV inverter	Bureau Veritas	2020/12/19	19TH0534-NRS 097-2-1_2	U20-1043	Yes	For both 230 V, L-N / 400Vac, L-L and 277 Vac L-N / 480 Vac L-L output, inverter may only be used in plants according to Category A3; 100 kVA - 1MVA and connection to the grid via an external customer MV/LV AC transformer.
SolarEdge	SE50K	Grid-tied PV inverter	Bureau Veritas	2021/06/07	20TH0532-NRS 097-2-1_0	U21-0499	Yes	Grid connection inverter for 230 V, L-N / 400Vac, L-L output only and is intended with and without AC transformer for Category A2 and A3 plant.
SolarEdge	SE55K	Grid-tied PV inverter	Bureau Veritas	2021/06/07	20TH0532-NRS 097-2-1_0	U21-0499	Yes	Grid connection inverter for 230 V, L-N / 400Vac, L-L output only and is intended with and without AC transformer for Category A2 and A3 plant.
SolarEdge	SE66.6K	Grid-tied PV inverter	Bureau Veritas	2021/06/07	20TH0532-NRS 097-2-1_0	U21-0499	Yes	Grid connection inverter for 230 V, L-N / 400Vac, L-L output only and is intended with and without AC transformer for Category A2 and A3 plant.
SolarEdge	SE82.8K	Grid-tied PV inverter	Bureau Veritas	2021/06/07	20TH0532-NRS 097-2-1_0	U21-0499	Yes	Grid connection inverter for 230 V, L-N / 400Vac, L-L output only and is intended with and without AC transformer for Category A2 and A3 plant.
SolarEdge	SE100K	Grid-tied PV inverter	Bureau Veritas	2021/06/07	20TH0532-NRS 097-2-1_0	U21-0499	Yes	Grid connection inverter for 230 V, L-N / 400Vac, L-L output only and is intended with and without AC transformer for Category A2 and A3 plant.
SolarEdge	SE66.6K*	Grid-tied PV inverter	Bureau Veritas	2021/06/07	20TH0532-NRS 097-2-1_0	U21-0499	Yes	Model with AC output voltage 277 Vac L-N / 480 Vac L-L intended for grid connection with an external customer MVA/V AC transformer and only for plants with Category A3 100 kVA - 1MVA.
SolarEdge	SE80K*	Grid-tied PV inverter	Bureau Veritas	2021/06/07	20TH0532-NRS 097-2-1_0	U21-0499	Yes	For both 230 V, L-N / 400Vac, L-L and 277 Vac L-N / 480 Vac L-L output, inverter may only be used in plants according to Category A3; 100 kVA - 1MVA and connection to the grid via an external customer MV/LV AC transformer.
SolarEdge	SE120K*	Grid-tied PV inverter	Bureau Veritas	2021/06/07	20TH0532-NRS 097-2-1_0	U21-0499	Yes	For both 230 V, L-N / 400Vac, L-L and 277 Vac L-N / 480 Vac L-L output, inverter may only be used in plants according to Category A3; 100 kVA - 1MVA and connection to the grid via an external customer MV/LV AC transformer.
SolarEdge	SE75K	Grid-tied PV inverter	Bureau Veritas	2021/04/01	17TH0209-NRS 097-2-1_2	U21-0295	Yes	
SolarEdge	SE 2000H	Hybrid PV inverter grid-tied	Bureau Veritas	2022/01/26	16TH0371-NRS 097-2-1_1	U22-0010	Yes	
SolarEdge	SE 4000H	Hybrid PV inverter grid-tied	Bureau Veritas	2022/01/26	16TH0371-NRS 097-2-1_1	U22-0010	Yes	
SolarEdge	SE 5000H	Hybrid PV inverter grid-tied	Bureau Veritas	2022/01/26	16TH0371-NRS 097-2-1_1	U22-0010	Yes	
SolarEdge	SE 6000H	Hybrid PV inverter grid-tied	Bureau Veritas	2022/01/26	16TH0371-NRS 097-2-1_1	U22-0010	Yes	
SolarEdge	SE3K	Grid-tied PV inverter	TUV SUD	2021/09/03	713224660_000	D 082496 0022 Rev.00	Yes	
SolarEdge	SE4K	Grid-tied PV inverter	TUV SUD	2021/09/03	713224660_000	D 082496 0022 Rev.00	Yes	
SolarEdge	SE5K	Grid-tied PV inverter	TUV SUD	2021/09/03	713224660_000	D 082496 0022 Rev.00	Yes	
SolarEdge	SE6K	Grid-tied PV inverter	TUV SUD	2021/09/03	713224660_000	D 082496 0022 Rev.00	Yes	
SolarEdge	SE7K	Grid-tied PV inverter	TUV SUD	2021/09/03	713224660_000	D 082496 0022 Rev.00	Yes	
SolarEdge	SE8K	Grid-tied PV inverter	TUV SUD	2021/09/03	713224660_000	D 082496 0022 Rev.00	Yes	
SolarEdge	SE8K	Grid-tied PV inverter	TUV SUD	2021/09/03	713224660_000	D 082496 0022 Rev.00	Yes	
SolarEdge	SE10K	Grid-tied PV inverter	TUV SUD	2021/09/03	713224660_000	D 082496 0022 Rev.00	Yes	
SolarEdge	SE12.5K	Grid-tied PV inverter	TUV SUD	2021/09/03	713224660_000	D 082496 0022 Rev.00	Yes	
SolarEdge	SE13.5K	Grid-tied PV inverter	TUV SUD	2021/09/03	713224660_000	D 082496 0022 Rev.00	Yes	
SolarEdge	SE16K	Grid-tied PV inverter	TUV SUD	2021/09/03	713224660_000	D 082496 0022 Rev.00	Yes	
SolarEdge	SE17K	Grid-tied PV inverter	TUV SUD	2021/09/03	713224660_000	D 082496 0022 Rev.00	Yes	
SolaX Power	SK-TL 3000 E/E-S/C/C-S/R/R-S	Grid-tied PV inverter	TUV SUD	2018/03/29	70 409 18 010 02-00	D 18 03 85769 043	Yes	
SolaX Power	SK-TL 3700 E/C/R	Grid-tied PV inverter	TUV SUD	2018/03/29	70 409 18 010 02-00	D 18 03 85769 043	Yes	
SolaX Power	SK-TL 5000 E/C/R	Grid-tied PV inverter	TUV SUD	2018/03/29	70 409 18 010 02-00	D 18 03 85769 043	Yes	
SolaX Power	SK-SU3000 E-E-S/C-C-S	Grid-tied PV inverter	TUV SUD	2018/03/29	70 409 18 010 02-00	D 18 03 85769 043	Yes	
SolaX Power	SK-SU3700 E/C	Grid-tied PV inverter	TUV SUD	2018/03/29	70 409 18 010 02-00	D 18 03 85769 043	Yes	
SolaX Power	SK-SU5000 E/C	Grid-tied PV inverter	TUV SUD	2018/03/29	70 409 18 010 02-00	D 18 03 85769 043	Yes	
SolaX Power	X3-30.0-T-D	Grid-tied PV inverter	TUV SUD	2017/08/04	70 409 17 128 02-01	D 17 08 85769 026	Yes	
SolaX Power	X3-30.0-T-I-N	Grid-tied PV inverter	TUV SUD	2017/08/04	70 409 17 128 02-01	D 17 08 85769 026	Yes	
SolaX Power	X3-36.0-T-H	Grid-tied PV inverter	TUV SUD	2017/08/04	70 409 17 128 02-01	D 17 08 85769 026	Yes	
SolaX Power	X3-36.0-T-D	Grid-tied PV inverter	TUV SUD	2017/08/04	70 409 17 128 02-01	D 17 08 85769 026	Yes	
SolaX Power	X1-Hybrid-5.0-D-E	Hybrid PV inverter grid-tied	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-Hybrid-5.0-N-E	Hybrid PV inverter grid-tied	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-Hybrid-4.6-D-E	Hybrid PV inverter grid-tied	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-Hybrid-4.6-N-E	Hybrid PV inverter grid-tied	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-Hybrid-3.7-D-E	Hybrid PV inverter grid-tied	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-Hybrid-3.7-N-E	Hybrid PV inverter grid-tied	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-Hybrid-3.0-D-E	Hybrid PV inverter grid-tied	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-Hybrid-3.0-N-E	Hybrid PV inverter grid-tied	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-Hybrid-5.0-D-C	Hybrid PV inverter grid-tied	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-Hybrid-5.0-N-C	Hybrid PV inverter grid-tied	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-Hybrid-4.6-D-C	Hybrid PV inverter grid-tied	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-Hybrid-4.6-N-C	Hybrid PV inverter grid-tied	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-Hybrid-3.7-D-C	Hybrid PV inverter grid-tied	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-Hybrid-3.7-N-C	Hybrid PV inverter grid-tied	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-Hybrid-3.0-D-C	Hybrid PV inverter grid-tied	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-Hybrid-3.0-N-C	Hybrid PV inverter grid-tied	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-Hybrid-5.0-D-I	Hybrid PV inverter grid-tied	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-Hybrid-5.0-N-I	Hybrid PV inverter grid-tied	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-Hybrid-4.6-D-I	Hybrid PV inverter grid-tied	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-Hybrid-4.6-N-I	Hybrid PV inverter grid-tied	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-Hybrid-3.7-D-I	Hybrid PV inverter grid-tied	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-Hybrid-3.7-N-I	Hybrid PV inverter grid-tied	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-Hybrid-3.0-D-I	Hybrid PV inverter grid-tied	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-Hybrid-3.0-N-I	Hybrid PV inverter grid-tied	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-F1-3.7C	Grid-tied inverter	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-F1-3.7E	Grid-tied inverter	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-F1-3.7I	Grid-tied inverter	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-F1-4.6C	Grid-tied inverter	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-F1-4.6E	Grid-tied inverter	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-F1-4.8I	Grid-tied inverter	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-F1-5.0C	Grid-tied inverter	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-F1-5.0E	Grid-tied inverter	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X1-F1-5.0I	Grid-tied inverter	TUV SUD	2019/07/31	70 409 19 191 01-00	D 08576900055	Yes	
SolaX Power	X3-Hybrid-5.0-D-C	Hybrid PV inverter grid-tied	Bureau Veritas	2018/10/18	SXP-185E2165FCSPH	U18-0570	Yes	Not intended for the use in plants > 100kVA
SolaX Power	X3-Hybrid-5.0-N-C	Hybrid PV inverter grid-tied	Bureau Veritas	2018/10/18	SXP-185E2165FCSPH	U18-0570	Yes	Not intended for the use in plants > 100kVA
SolaX Power	X3-Hybrid-5.0-D-E	Hybrid PV inverter grid-tied	Bureau Veritas	2018/10/18	SXP-185E2165FCSPH	U18-0570	Yes	Not intended for the use in plants > 100kVA
SolaX Power	X3-Hybrid-5.0-N-E	Hybrid PV inverter grid-tied	Bureau Veritas	2018/10/18	SXP-185E2165FCSPH	U18-0570	Yes	Not intended for the use in plants > 100kVA
SolaX Power	X3-Hybrid-5.0-D-I	Hybrid PV inverter grid-tied	Bureau Veritas	2018/10/18	SXP-185E2165FCSPH	U18-0570	Yes	Not intended for the use in plants > 100kVA

Solis	Solis S5-GC70K-HV	Grid-tied PV inverter	TUV Rheinland	2021/07/28	CN21FXT 0001	AK 50510984 0001		Yes	The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Solplanet	ASW4K-S2	Hybrid PV inverter grid-tied	TUV Rheinland	2022/07/07	CN22VYJ 001	AK 50550802 0001		Yes	Where x = 3000, 3600, 4000, 5000, 6000
Solplanet	ASW30K-LT-G2	Grid-tied PV inverter	TUV SUD	2022/07/25	70.409.22.286.25-00	D 099567 0067 Rev.00		Yes	The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Solplanet	ASW33K-LT-G2	Grid-tied PV inverter	TUV SUD	2022/07/25	70.409.22.286.25-00	D 099567 0067 Rev.00		Yes	The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Solplanet	ASW36K-LT-G2	Grid-tied PV inverter	TUV SUD	2022/07/25	70.409.22.286.25-00	D 099567 0067 Rev.00		Yes	The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Solplanet	ASW40K-LT-G2	Grid-tied PV inverter	TUV SUD	2022/07/25	70.409.22.286.25-00	D 099567 0067 Rev.00		Yes	The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Solplanet	ASW45K-LT-G2	Grid-tied PV inverter	TUV SUD	2022/07/25	70.409.22.286.25-00	D 099567 0067 Rev.00		Yes	The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Solplanet	ASW50K-LT-G2	Grid-tied PV inverter	TUV SUD	2022/07/25	70.409.22.286.25-00	D 099567 0067 Rev.00		Yes	The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Solplanet	ASW40K-LT-G2 Pro	Grid-tied PV inverter	TUV SUD	2022/07/25	70.409.22.286.25-00	D 099567 0067 Rev.00		Yes	The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Solplanet	ASW45K-LT-G2 Pro	Grid-tied PV inverter	TUV SUD	2022/07/25	70.409.22.286.25-00	D 099567 0067 Rev.00		Yes	The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Solplanet	ASW50K-LT-G2 Pro	Grid-tied PV inverter	TUV SUD	2022/07/25	70.409.22.286.25-00	D 099567 0067 Rev.00		Yes	The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Soltaro	SOL-10KW-3P	Hybrid PV inverter grid-tied	TUV SUD	2018/07/26	6429018047301A	D 104877 0003	Yes		The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Sungrow	SH5K-20	Hybrid PV inverter grid-tied	Dakra	2018/05/31	6025450.51	6025450.02AOC	Yes		The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Sungrow	SH5K-30	Hybrid PV inverter grid-tied	Dakra	2020/03/27	6027682.52	6027682.01AOC	Yes		
Sungrow	SG36KTL-M	Grid-tied PV inverter	TUV SUD	2018/03/26	704091708604-01	D18037342197	Yes		
Sungrow	SG60KTL	Grid-tied PV inverter	TUV SUD	2018/02/08	704091708605-01	D180173342198	Yes		
Sungrow	SG80KTL	Grid-tied PV inverter	Dakra	2018/07/11	6035428.50	6035428.01AOC	Yes		The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Sungrow	SG80KTL-20	Grid-tied PV inverter	Dakra	2018/07/11	6035428.50	6035428.01AOC	Yes		The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Sungrow	SG33CX	Grid-tied PV inverter	TUV NORD & Shenzhen Balun	2020/03/19	TRSHV11090/19/01_R2	COCSHV11090/19-01 R1	Yes		The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Sungrow	SG40CX	Grid-tied PV inverter	TUV NORD & Shenzhen Balun	2020/03/19	TRSHV11090/19/01_R2	COCSHV11090/19-01 R1	Yes		The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Sungrow	SG50CX	Grid-tied PV inverter	TUV NORD & Shenzhen Balun	2020/03/19	TRSHV11090/19/01_R2	COCSHV11090/19-01 R1	Yes		The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Sungrow	SG110CX	Grid-tied PV inverter	TUV NORD & Shenzhen Balun	2020/03/19	TRSHV11090/19/02_R2	COCSHV11090/19-02 R1	Yes		The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Sungrow	SH5.0RT	Hybrid PV inverter grid-tied	TUV NORD & Shenzhen Balun	2020/07/24	TRSHV11090/19/03	COCSHV11090/19-04	Yes		
Sungrow	SH6.0RT	Hybrid PV inverter grid-tied	TUV NORD & Shenzhen Balun	2020/07/24	TRSHV11090/19/03	COCSHV11090/19-04	Yes		
Sungrow	SH8.0RT	Hybrid PV inverter grid-tied	TUV NORD & Shenzhen Balun	2020/07/24	TRSHV11090/19/03	COCSHV11090/19-04	Yes		
Sungrow	SH10RT	Hybrid PV inverter grid-tied	TUV NORD & Shenzhen Balun	2020/07/24	TRSHV11090/19/03	COCSHV11090/19-04	Yes		
Sungrow	SC50HV	Battery based inverter grid-tied	TUV SUD	2021/08/09	704092103524-00	D 0733420345 Rev.00	Yes		
Sungrow	SC50HV-20	Battery based inverter grid-tied	TUV SUD	2021/08/09	704092103524-00	D 0733420345 Rev.00	Yes		
Sungrow	SH3.0RS	Hybrid PV inverter grid-tied	TUV Rheinland	2022/03/15	CN22QHJH 001	AK 50536847 0001	Yes		
Sungrow	SH3.6RS	Hybrid PV inverter grid-tied	TUV Rheinland	2022/03/15	CN22QHJH 001	AK 50536847 0001	Yes		
Sungrow	SH4.0RS	Hybrid PV inverter grid-tied	TUV Rheinland	2022/03/15	CN22QHJH 001	AK 50536847 0001	Yes		
Sungrow	SH5.0RS	Hybrid PV inverter grid-tied	TUV Rheinland	2022/03/15	CN22QHJH 001	AK 50536847 0001	Yes		
Sungrow	SH6.0RS	Hybrid PV inverter grid-tied	TUV Rheinland	2022/03/15	CN22QHJH 001	AK 50536847 0001	Yes		
Sungrow	SG75CX-P2	Grid-tied PV inverter	TUV Rheinland	2022/03/16	CN224TCO 001	AK 50536779 0001	Yes		The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Sungrow	SG100CX-P2	Grid-tied PV inverter	TUV Rheinland	2022/03/16	CN224TCO 001	AK 50536779 0001	Yes		The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Sungrow	SG125CX-P2	Grid-tied PV inverter	TUV Rheinland	2022/03/16	CN224TCO 001	AK 50536779 0001	Yes		The maximum DC voltage is dependent on PV array and may not exceed 1000V when this inverter is used.
Sunpro	SP3KL1	Hybrid PV inverter grid-tied	TUV SUD	2022/08/16	64.290.22.30154.01	D 107931 0034 Rev.00	Yes		
Sunpro	SP3KL1	Hybrid PV inverter grid-tied	TUV SUD	2022/08/16	64.290.22.30154.01	D 107931 0034 Rev.00	Yes		
Sunpro	SP4KL1	Hybrid PV inverter grid-tied	TUV SUD	2022/08/16	64.290.22.30154.01	D 107931 0034 Rev.00	Yes		
Sunpro	SP4KL1	Hybrid PV inverter grid-tied	TUV SUD	2022/08/16	64.290.22.30154.01	D 107931 0034 Rev.00	Yes		
Sunpro	SP5KL1	Hybrid PV inverter grid-tied	TUV SUD	2022/08/16	64.290.22.30154.01	D 107931 0034 Rev.00	Yes		
Sunpro	SP6KL1	Hybrid PV inverter grid-tied	TUV SUD	2022/08/16	64.290.22.30154.01	D 107931 0034 Rev.00	Yes		
Sunsynk	Sunsynk-8K-SG01LP1	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/30	BL-DG2220307-B01	BL-DG2220307D03	Yes		
Sunsynk	Sunsynk-7.6K-SG01LP1	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/30	BL-DG2220307-B01	BL-DG2220307D03	Yes		
Sunsynk	Sunsynk-6K-SG01LP1	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/30	BL-DG2220307-B01	BL-DG2220307D03	Yes		
Sunsynk	Sunsynk-5K-SG01LP1	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/30	BL-DG2220307-B01	BL-DG2220307D03	Yes		
Sunsynk	Sunsynk-3.6K-SG01LP1	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/30	BL-DG2220307-B01	BL-DG2220307D03	Yes		
Sunsynk	Sunsynk-8K-SG02LP1	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/30	BL-DG2220307-B01	BL-DG2220307D03	Yes		
Sunsynk	Synk-7.6K-SG02LP1	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/30	BL-DG2220307-B01	BL-DG2220307D03	Yes		
Sunsynk	Synk-6K-SG02LP1	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/30	BL-DG2220307-B01	BL-DG2220307D03	Yes		
Sunsynk	Synk-5K-SG02LP1	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/30	BL-DG2220307-B01	BL-DG2220307D03	Yes		
Sunsynk	Synk-3.6K-SG02LP1	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/30	BL-DG2220307-B01	BL-DG2220307D03	Yes		
Sunsynk	Synk-8K-SG02LP1-B	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/30	BL-DG2220307-B01	BL-DG2220307D03	Yes		
Sunsynk	Synk-6K-SG02LP1-B	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/30	BL-DG2220307-B01	BL-DG2220307D03	Yes		
Sunsynk	Synk-5K-SG02LP1-B	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/30	BL-DG2220307-B01	BL-DG2220307D03	Yes		
Sunsynk	Synk-3.6K-SG02LP1-B	Hybrid PV inverter grid-tied	Dongguan Balun	2022/03/30	BL-DG2220307-B01	BL-DG2220307D03	Yes		
Sunsynk	Synk-12K-SG01LP1	Hybrid PV inverter grid-tied	TUV Rheinland	2022/05/31	CN22M50 002	AK 50546025 0001	Yes		
Sunsynk	Synk-14K-SG01LP1	Hybrid PV inverter grid-tied	TUV Rheinland	2022/05/31	CN22M50 002	AK 50546025 0001	Yes		
Sunsynk	Synk-16K-SG01LP1	Hybrid PV inverter grid-tied	TUV Rheinland	2022/05/31	CN22M50 002	AK 50546025 0001	Yes		
Sunsynk	SYNK-6K-SG04LP3	Hybrid PV inverter grid-tied	TUV NORD & Shenzhen Balun	2021/06/10	BL-DG2160287-B01	BL-DG2160288D01	Yes		
Sunsynk	SYNK-8K-SG04LP3	Hybrid PV inverter grid-tied	TUV NORD & Shenzhen Balun	2021/06/10	BL-DG2160287-B01	BL-DG2160288D01	Yes		
Sunsynk	SYNK-10K-SG04LP3	Hybrid PV inverter grid-tied	TUV NORD & Shenzhen Balun	2021/06/10	BL-DG2160287-B01	BL-DG2160288D01	Yes		
Sunsynk	SYNK-12K-SG04LP3	Hybrid PV inverter grid-tied	TUV NORD & Shenzhen Balun	2021/06/10	BL-DG2160287-B01	BL-DG2160288D01	Yes		
Sunsynk	SUNSINK-29.5K-SG01HP3-EU-BM3	Hybrid PV inverter grid-tied	TUV Rheinland	2022/12/05	CN22G75A 002	AK 50567025 0001	Yes		
Sunsynk	SUNSINK-30K-SG01HP3-EU-BM3	Hybrid PV inverter grid-tied	TUV Rheinland	2022/12/05	CN22G75A 002	AK 50567025 0001	Yes		
Sunsynk	SUNSINK-35K-SG01HP3-EU-BM3	Hybrid PV inverter grid-tied	TUV Rheinland	2022/12/05	CN22G75A 002	AK 50567025 0001	Yes		
Sunsynk	SUNSINK-40K-SG01HP3-EU-BM4	Hybrid PV inverter grid-tied	TUV Rheinland	2022/12/05	CN22G75A 002	AK 50567025 0001	Yes		
Sunsynk	SUNSINK-50K-SG01HP3-EU-BM4	Hybrid PV inverter grid-tied	TUV Rheinland	2022/12/05	CN22G75A 002	AK 50567025 0001	Yes		
Sunsynk	SYNK-3K-SG04LP1	Hybrid PV inverter grid-tied	TUV Rheinland	2023/01/05	CN22M163 002	AK 50570087 0001	Yes		
Sunsynk	SYNK-3K-SG04LP1-24	Hybrid PV inverter grid-tied	TUV Rheinland	2023/01/05	CN22M163 002	AK 50570087 0001	Yes		

Sunsynk	SYNK-3.6K-SG04LP1	Hybrid PV inverter grid-tied	TUV Rheinland	2023/01/05	CN22MT63 002	AK 50570087 0001	Yes	
Sunsynk	SYNK-5K-SG04LP1	Hybrid PV inverter grid-tied	TUV Rheinland	2023/01/05	CN22MT63 002	AK 50570087 0001	Yes	
Sunsynk	SYNK-6K-SG04LP1	Hybrid PV inverter grid-tied	TUV Rheinland	2023/01/05	CN22MT63 002	AK 50570087 0001	Yes	
Sunways	STH-4KTL-HT	Hybrid PV inverter grid-tied	TUV SUD	2021/01/14	704092001222-00	D 104339 0044 Rev. 00	Yes	
Sunways	STH-5KTL-HT	Hybrid PV inverter grid-tied	TUV SUD	2021/01/14	704092001222-00	D 104339 0044 Rev. 00	Yes	
Sunways	STH-6KTL-HT	Hybrid PV inverter grid-tied	TUV SUD	2021/01/14	704092001222-00	D 104339 0044 Rev. 00	Yes	
Sunways	STH-8KTL-HT	Hybrid PV inverter grid-tied	TUV SUD	2021/01/14	704092001222-00	D 104339 0044 Rev. 00	Yes	
Sunways	STH-10KTL-HT	Hybrid PV inverter grid-tied	TUV SUD	2021/01/14	704092001222-00	D 104339 0044 Rev. 00	Yes	
Sunways	STH-12KTL-HT	Hybrid PV inverter grid-tied	TUV SUD	2021/01/14	704092001222-00	D 104339 0044 Rev. 00	Yes	
Sunways	STH-3KTL-HSS	Hybrid PV inverter grid-tied	TUV SUD	2021/12/08	704092101617-00	D 104339 0065 Rev.00	Yes	
Sunways	STH-3KTL-HS	Hybrid PV inverter grid-tied	TUV SUD	2021/12/08	704092101617-00	D 104339 0065 Rev.00	Yes	
Sunways	STH-3.6KTL-HSS	Hybrid PV inverter grid-tied	TUV SUD	2021/12/08	704092101617-00	D 104339 0065 Rev.00	Yes	
Sunways	STH-3.6KTL-HS	Hybrid PV inverter grid-tied	TUV SUD	2021/12/08	704092101617-00	D 104339 0065 Rev.00	Yes	
Sunways	STH-4.2KTL-HS	Hybrid PV inverter grid-tied	TUV SUD	2021/12/08	704092101617-00	D 104339 0065 Rev.00	Yes	
Sunways	STH-4.6KTL-HS	Hybrid PV inverter grid-tied	TUV SUD	2021/12/08	704092101617-00	D 104339 0065 Rev.00	Yes	
Sunways	STH-5KTL-HS	Hybrid PV inverter grid-tied	TUV SUD	2021/12/08	704092101617-00	D 104339 0065 Rev.00	Yes	
Sunways	STH-6KTL-HS	Hybrid PV inverter grid-tied	TUV SUD	2021/12/08	704092101617-00	D 104339 0065 Rev.00	Yes	
Sunways	STH-7KTL-HS	Hybrid PV inverter grid-tied	TUV SUD	2021/12/08	704092101617-00	D 104339 0065 Rev.00	Yes	
Sunways	STH-8KTL-HS	Hybrid PV inverter grid-tied	TUV SUD	2021/12/08	704092101617-00	D 104339 0065 Rev.00	Yes	
TBB Power	Apollo Matrix 3.0S	Hybrid PV inverter grid-tied	TUV NORD (Hangzhou)	2022/03/03	TRPVP12002/218/01	COCPVP12002/218-01	Yes	
TBB Power	Apollo Matrix 3.0M	Hybrid PV inverter grid-tied	TUV NORD (Hangzhou)	2022/03/03	TRPVP12002/218/01	COCPVP12002/218-01	Yes	
TBB Power	Apollo Matrix 5.0S	Hybrid PV inverter grid-tied	TUV NORD (Hangzhou)	2022/03/03	TRPVP12002/218/01	COCPVP12002/218-01	Yes	
TELE Haase Steuergeräte	NA003	Network & system relay	Primara	2018/09/20	14PP035-12	18-315-00	Yes	Network and system grid protection voltage and frequency relay only and may only be used in conjunction with approved NRS 097-2-1 type tested inverters on this list.
Testa	AC Powerwall 1092170-xx-y	Battery based inverter grid-tied	Intertek	2020/05/20	102591059CRT-051c	102591059CRT-051c	Yes	
Testa	AC Powerwall 2012170-xx-y	Battery based inverter grid-tied	Intertek	2020/05/20	102591059CRT-051c	102591059CRT-051c	Yes	
Victron	MultiGrid 12/3000/120-50	Battery based inverter grid-tied	Primara	2017/11/20	16PP183-06 1	17-303-00	Yes	
Victron	MultiGrid 24/3000/70-50	Battery based inverter grid-tied	Primara	2017/11/20	16PP183-06 1	17-303-00	Yes	
Victron	MultiGrid 48/3000/35-50	Battery based inverter grid-tied	Primara	2017/11/20	16PP183-06 1	17-303-00	Yes	
Victron	MultiGrid - II 48/3000/35-32	Battery based inverter grid-tied	Primara	2018/10/02	17PP264-07 1	18-320-00	Yes	
Victron	MultiPlus - II 48/3000/35-32	Battery based inverter grid-tied	Kiwa Primara	2019/08/22	17PP264-07 3	18-320-01	Yes	
Victron	MultiPlus - II 48/3000/35-32GX	Battery based inverter grid-tied	Kiwa Primara	2019/08/22	17PP264-07 3	18-320-01	Yes	
Victron	MultiPlus - II 48/5000/70-50	Battery based inverter grid-tied	Kiwa Primara	2019/08/22	17PP264-07 3	18-320-01	Yes	
Voltronic	InfiniSolar 10k	Hybrid PV inverter grid-tied	Bureau Ventas	2020/10/30	PVZA180904N057-R1	2088AP0923N001001	Yes	
Ziehl	UFR1001E relay	Network & system relay	Bureau Ventas	2018/06/07	11TH0501-NRS 097-2-1 1	U18-0308	Yes	Network and system grid protection voltage and frequency relay only and may only be used in conjunction with approved NRS 097-2-1 type tested inverters on this list.

RCMU - residual current monitoring unit
RCD - residual current device
RCM - residual current monitoring
SPD - surge protection device

